2023 Edition

British Assessment Bureau

UKAS MANAGEMENT SYSTEMS
8289

ISO 9001
QUALITY MANAGEMENT

FLETCHER FLETCHER FLETCHER FLETCHER
EUROPEAN EUROPEAN EUROPEAN











WITH OVER 100 NEW PRODUCTS



Fletcher European Containers Ltd

47/51 Sanders Road,

Finedon Road Industrial Estate,

Wellingborough, Northamptonshire, NN8 4NL

Tel: 01933 440 446

sales@fletchereuropean.co.uk

© 2018, the images and text in this catalogue cannot be used by any third party without express written permission. The rotoX logo and rotoX part numbers are trade mark protected and cannot be used by any third party under any circumstances and the owner will seek legal remedy for any infringement.

FLETCHER EUROPEAN

OUR HISTORY:

Fletcher European can follow its heritage back to 1994 when Colin Fletcher founded R.M. Industries. Starting out with only a single machine it was not long before the business was later Incorporated in 1997 and renamed Fletcher European Containers Limited.

From small beginnings the company has gone from strength to strength to become one of the largest independent manufacturers of material handling products in the United Kingdom. Although Fletcher European operate and supply to several markets, we are best known for supplying the food industry with our range of brightly coloured food bins and trolleys.

Ever ambitious, Fletcher European sought out ISO 9001 Accreditation to distinguish ourselves as a company who not only manufacture quality products but also provide a quality service throughout our company, whether this being the good working conditions for our employees or to the customer who receives a first class service when they shop through Fletcher European.

In 2010 Fletcher European were excited to takeover Hygiplas Limited and see it become part of our brand. Established in 1978, Hygiplas has a long history of supplying bakery and catering equipment and we are delighted to say that this continues to this day. The successful takeover means customers can now enjoy an ever-expanding range of products from a company operating all across the United Kingdom and beyond.

The company has been constantly growing to meet greater demand. In 2014 Fletcher European completed a large factory extension and installed a state-of-the-art carousel rotational moulding machine. The results of this have been faster delivery times, a wider selection of products and larger quantities of stock kept on site.

MADE IN GREAT BRITAIN



WHAT IS THE ROTO*X* TRADEMARK?

» RotoX is a brand of food grade premium products.

» Fletcher European is the exclusive manufacturer of RotoX products which are all made on our site in Northamptonshire.

ROTOX™

HOW DO WE DO IT?

1. We begin by carefully sourcing materials certified as safe for food contact and compliant with EU law - EC 1935/2011 and EU 10/2011/EC.

2. Plastic powder is then rotationally moulded at 300°C to form polyethylene products that are tough, durable and totally stress free.

3. After the product is removed from the oven, it is then trimmed and finished by hand by our skilled specialists.

» Our manufacturing process means RotoX products enjoy long life spans and are highly cost effective options for customers.

» Designed with smooth, seamless surfaces and minimal crevices to allow for easy cleaning. Ideal in high care environments such as food and pharmaceutical trades.

» Keep an eye out for the RotoX logo throughout the catalogue so you can be sure which products meet these requirements.

» Or, if you are unsure, RotoX products are easily identified by their code - beginning with RotoX.

British Assessment Bureau

UKAS MANAGEMENT SYSTEMS 8289

ISO 9001 QUALITY MANAGEMENT

ISO 9001 ACCREDITATION:

» The accreditation is an internationally recognised seal of quality.

» To be eligible for this recognition, Fletcher European adheres to a strict quality manual to ensure only the highest premium products are approved for sale.

» Seeing this accreditation provides our customers with many reassurances they look for when purchasing food grade products.

Tel: 01933 440 446 sales@fletchereuropean.co.uk

Fletcher 2023.indd 4 02/11/2022 14:21:43

CONTENTS:

6. Meet The Team 

8. Food Dispensers 

12. Inter-Stacking Bins and Sieves 

14. Bowls and Food Containers 

16. Plastic Mobile Trucks and Eurobins 

19. Chassis Trucks and Trough Units 

24. Plastic Tanks, Tapered and Brute Bins 

28. Hygibox and Hyginest Containers 

30. European Stacking Containers 

34. Uni Boxes and Special Sized Containers 

36. Bale Arm and Stacknest Crates 

42. Attached Lid Containers 

44. Bread Baskets and Collapsible Crates 

46. Confectionery and Bakery Trays 

50. Trolleys and Covers 

54. Dollies 

60. Buckets, Scoops and Jugs 

64. Graduated Storage Containers 

66. Scales, Thermometers and Kitchenware 

71. Anti-Microbial and Metal Detectable Products 

Brushware, Paddles and Shovels .74 

Waterflow Equipment .80

Mops, Squeegees and Handles .82 


Spill Kits and Caution Equipment .84 

Shadow Boards and Hangers .86 

Stainless Steel Equipment .88 

Stainless & Zinc Shelving .90 

Shelving, Racking and Benches .91 

Floor Matting .95 

Lockers and Cabinets .96 

Pallets and Pallet Boxes .102 

Retention and Roll Cages .108 

Handling Equipment .110 

IBC and Drum Spill Containment .115 

Liquid Storage Tanks .118 

Waste Handling and Storage Bins .120 

Bottle Skips .127 

Safety Steps .128 

Recycled Mobiles .130 

Environmental Policy .131 

DISCLAIMER:

All dimensions and capacities in this Catalogue are approximate. We reserve the right to alter specifications without prior notice. A copy of our terms and conditions is available upon request.

www.fletchereuropean.co.uk

Fletcher 2023.indd 5 02/11/2022 14:21:57



Managing Director

Colin Fletcher

ColinF@fletchereuropean.co.uk

Financial Director

Reena Kotecha

ReenaK@fletchereuropean.co.uk





General Manager & Director

Ben Forster

BenF@fletchereuropean.co.uk

Deputy General Manager

Darren Kitney

DarrenK@fletchereuropean.co.uk





Aftersales Supervisor

Chanelle Johnson

ChanelleJ@fletchereuropean.co.uk

THE INTERNAL SALES TEAM:



Chris Harris

Chris@fletchereuropean.co.uk



Rebecca White

Rebecca@fletchereuropean.co.uk



Teresa Rodrigues

Teresa@fletchereuropean.co.uk



Michael Ward

MichaelW@fletchereuropean.co.uk

HOW TO ORDER:

» **Please visit our e-commerce website to place orders online!**

» **Feel free to call or email our sales team if you would like to discuss an enquiry or a project in more detail.**

» **Credit facilities are available upon request subject to credit checking, and pro-forma invoices can be paid by cash, cheque, credit card or bank transfer.**

www.fletchereuropean.co.uk

Fletcher 2023.indd 7 02/11/2022 14:21:58

DISPENSE SYSTEMS

A wide variety of dispensers and stainless steel table options allows for bespoke systems for your particular requirements.

- **Rack and dispense systems can be designed to suit individual applications.**
- **Stainless steel tables can be made to order in other sizes.**
- **A full labelling service is available to aid with the management of identifying contents.**

ROTOX™





Tel: 01933 440 446
sales@fletchereuropean.co.uk

Fletcher 2023.indd 8 02/11/2022 14:22:00

FOOD INGREDIENT BINS



- Rotationally moulded from food grade polyethylene, our ingredient bins are perfect for food handling.
- The ‘flip tops’ are available in either a food grade clear shatter proof PETG lid, or a stainless steel lid to meet your requirements.
- Mounted on four 100 mm swivel castors as standard, they enjoy great manoeuvrability and are easily moved when full or empty.

Code	External Dimensions	Internal Dimensions	Capacity
rotoXM15	600^{L} x 355^{W} x 714^{H} mm	535^{L} x 275^{W} x 560^{H} mm	65 litres
rotoXM20	600^{L} x 455^{W} x 714^{H} mm	540^{L} x 380^{W} x 560^{H} mm	90 litres
rotoXM35	600^{L} x 555^{W} x 714^{H} mm	540^{L} x 480^{W} x 560^{H} mm	150 litres

Ingredients Capacities Guide:

	rotoXM15	rotoXM20	rotoXM35
Capacity	65 litres	90 litres	150 litres
Flour	25 kg	35 kg	58 kg
Salt	74 kg	103 kg	172 kg
Sugar	43 kg	60 kg	100 kg

Fletcher 2023.indd 9 02/11/2022 14:22:04

MULTI-TROLLEYS

Stainless steel mobile frames can be supplied with 9 rotoXID8, 3 rotoXID8 and 3 rotoXTK15 or 3 rotoXM15 dispensers.







Code	Description	Capacity	External Dimensions
rotoXF8	Multi-trolley	9 x 8 litres	970^{L} x 470^{W} x 1405^{D} mm
rotoXF10	Multi-trolley	3 x 8 litres & 3 x 65 litres	1140^{L} x 600^{W} x 1406^{D} mm
rotoXF15	Multi-trolley	3 x 65 litres	1075^{L} x 600^{W} x 680^{D} mm

Any Colour

Tel: 01933 440 446
sales@fletchereuropean.co.uk

Fletcher 2023.indd 10 02/11/2022 14:22:06

TABLE TOP DISPENSERS

ROTOX™

These ingredient dispensers can be supplied in a variety of colours and are moulded in food grade polyethylene.

- **Choice of clear shatter proof PETG or stainless steel flip lids.**
- **The rotoXID15 and rotoXID40 are designed for top loading and with a lower dispense feature making them ideal for ingredient rotation.**
- **Full labelling available.**

Any Colour





rotoXID8

Code	External Dimensions	Capacity
rotoXID8	400^{L} x 295^{W} x 250^{H} mm	8 litres
rotoXID15	490^{L} x 250^{W} x 500^{H} mm	15 litres
rotoXID40	630^{L} x 300^{W} x 685^{H} mm	40 litres



rotoXID15



rotoXID40

Ingredients Capacities Guide:

	rotoXID8	rotoXID15	rotoXID40
Capacity	8 litres	15 litres	40 litres
Flour	3 kg	5 kg	15 kg
Salt	9 kg	17 kg	46 kg
Sugar	5 kg	10 kg	26 kg

www.fletchereuropean.co.uk

Fletcher 2023.indd 11 02/11/2022 14:22:08

INTER-STACKING BINS

» Available in four standard sizes that all inter-stack, with or without lids.

» Colour coded storage scheme for food and bakery environments.

» Can be fitted with optional tag slot for improved labelling and identification.

» Full labelling service and mould in graphics available.





Ingredients Capacities Guide:

	rotoXT01	rotoXT02	rotoXT03	rotoXT04
Capacity	18 litres	31 litres	46 litres	73 litres
Currants	11 kg	17 kg	29 kg	41 kg
Fat	12 kg	25 kg	38 kg	50 kg
Flour	7 kg	14 kg	24 kg	38 kg
Sugar	12 kg	23 kg	36 kg	49 kg
Sultanas	12 kg	19 kg	31 kg	45 kg

See Pages 54-59 For Dollies



» 'TRI' segregation bins are available in two sizes for smaller storage requirements.





Code	External Dimensions	Capacity	Dolly Code	Lid Code	Internal Dividers
rotoXT01	425^{D} x 178^{H} mm	18 litres	rotoXDSB	rotoXL05	RMSBTRI1
rotoXT02	425^{D} x 300^{H} mm	31 litres	rotoXDSB	rotoXL05	RMSBTRI2
rotoXT03	425^{D} x 438^{H} mm	46 litres	rotoXDSB	rotoXL05	N/A
rotoXT04	425^{D} x 650^{H} mm	73 litres	rotoXDSB	rotoXL05	N/A

Tel: 01933 440 446
sales@fletchereuropean.co.uk

Fletcher 2023.indd 12 02/11/2022 14:22:14

ROTOX™

SIEVES



» Sieves can be designed to sit on top or in the bottom of any of our round containers to create a sieving unit.

» Sieves are either 'drop in' or moulded into tubs or available with lugs.

» Stainless and plastic sieves available.

» Variety of mesh sizes available from 1 to 5 mm.

Plastic Sieves



Code	Diameter	Mesh (stainless steel)
Sieve1	350mm	1mm
Sieve2	350mm	2mm
Sieve2.5	350mm	2.5mm
Sieve3	350mm	3mm
Sieve4	350mm	4mm
Sieve5	350mm	5mm

Bespoke Sieve





» Bespoke sieves can be made to suit any of our mobiles, tanks or stacking containers.

Stainless Steel Sieves



Code	Diameter	Mesh (stainless steel)
SIEVESS1	300mm	1 x 1mm
SIEVESS2.5	300mm	2.5 x 1mm
SIEVESS3	300mm	3 x 3mm
SIEVESS9	300mm	9 x 7mm

BP8 - Prover Pockets



» Allows bakeries and food manufacturing facilities to easily prove and shape their dough.

» Available in both standard and metal detectable material our prover pockets are available to suit Baker Perkins provers.

Fletcher 2023.indd 13 02/11/2022 14:22:16

HYGIENIC STORAGE CONTAINERS

» Moulded from food grade polyethylene.

» Racks and dispense systems can be designed to suit individual applications.

ROTOX™



rotoXFB



rotoXB100



See Pages 54-59 For Dollies



Any Colour

Code	External Dimensions	Internal Dimensions	Capacity	Dolly Code
rotoXFB	480^{L} x 380^{W} x 270^{D} mm	400^{L} x 300^{W} x 250^{D} mm	30 litres	rotoXD38 (fits two)
rotoXB100	415^{L} x 315^{W} x 180^{D} mm	375^{L} x 275^{W} x 170^{D} mm	18 litres	rotoXD74 (fits two)



» Full labelling options are available.



rotoXFMR



rotoXFBR

Code	Description	External Dimensions
rotoXFMR	Multi-trolley - 1 x Stainless steel mobile frame with 3 x rotoXFB containers	510^{L} x 465^{W} x 1510^{D} mm
rotoXFBR	Multi-trolley - 1 x Stainless steel mobile frame with 6 x rotoXFB containers	910^{L} x 465^{W} x 1510^{D} mm

Tel: 01933 440 446
sales@fletchereuropean.co.uk

Fletcher 2023.indd 14 02/11/2022 14:22:21

MIXING BOWLS

» **Food grade plastic mixing bowls are perfect for storing, handling and mixing food ingredients.**

» **Available with or without a plastic lid and stainless steel mobile stand.**

ROTOX™

Any Colour







Code	Dimensions	Capacity	Lid Code	Stand Code	Stand Height	Stand Height (with bowl)
rotoXB19	480^{D} x 230^{H} mm	26 litres	rotoXL15	rotoXB19STSS	755 mm	850 mm
rotoXB24	640^{D} x 265^{H} mm	45 litres	rotoXL24	rotoXB24STSS	755 mm	800 mm



STAINLESS STEEL BOWLS

» **Made from 18/10 grade stainless steel.**

» **Available in sizes from 2 to 14 litres.**

» **Stands can be made to order if required.**

Code	Capacity	Dimensions
RM2SS	2 litres	195^{D} x 115^{H} mm
RM5SSB	5 litres	265^{D} x 130^{H} mm
RM8SS	8 litres	310^{D} x 165^{H} mm
RM14SS	14 litres	370^{D} x 200^{H} mm

www.fletchereuropean.co.uk

Fletcher 2023.indd 15 02/11/2022 14:22:24

PLASTIC MOBILE TRUCKS

» Watertight plastic mobiles moulded from tough food grade polyethylene.

» - 30°C to 80°C temperature range.

» rotoXM50, rotoXM70 and rotoXM100 supplied with reinforced plastic bases.

» Hinged lids available for many sizes.

» Recycled variants at cost effective pricing can be found on Page 130.














Code	External Dimensions	Top Internal Dimensions	Base Internal Dimensions	Load	Capacity	Lid Code	Castor Setup
rotoXM16	460^{L} x 460^{W} x 480^{H} mm	412^{L} x 412^{W} x 412^{H} mm	380^{L} x 380^{W} x 412^{H} mm	40 kg	72 litres	rotoXL26	4 x 50 mm swivel
rotoXM26	460^{L} x 460^{W} x 730^{H} mm	412^{L} x 412^{W} x 662^{H} mm	370^{L} x 370^{W} x 662^{H} mm	60 kg	118 litres	rotoXL26	4 x 50 mm swivel
rotoXM29	740^{L} x 585^{W} x 550^{H} mm	620^{L} x 475^{W} x 440^{H} mm	610^{L} x 460^{W} x 440^{H} mm	80 kg	132 litres	N/A	4 x 100 mm swivel
rotoXM30	620^{L} x 530^{W} x 705^{H} mm	552^{L} x 467^{W} x 582^{H} mm	520^{L} x 425^{W} x 582^{H} mm	120 kg	135 litres	rotoXL30	4 x 100 mm swivel
rotoXM45	825^{L} x 480^{W} x 785^{H} mm	740^{L} x 410^{W} x 647^{H} mm	700^{L} x 360^{W} x 647^{H} mm	150 kg	200 litres	rotoXL45	2 swivel, 2 fixed 100 mm
rotoXM50	830^{L} x 640^{W} x 740^{H} mm	755^{L} x 555^{W} x 600^{H} mm	730^{L} x 530^{W} x 600^{H} mm	180 kg	227 litres	rotoXL50	2 swivel, 2 fixed 100 mm
rotoXM70	1010^{L} x 685^{W} 735^{H} mm	903^{L} x 584^{W} x 595^{H} mm	840^{L} x 530^{W} x 595^{H} mm	220 kg	320 litres	rotoXL70	2 swivel, 2 fixed 100 mm
rotoXM100	1370^{L} x 775^{W} x 765^{H} mm	1225^{L} x 615^{W} x 630^{H} mm	1165^{L} x 570^{W} x 630^{H} mm	275 kg	455 litres	rotoXL100	2 swivel, 2 fixed 100 mm

Tel: 01933 440 446 sales@fletchereuropean.co.uk

Fletcher 2023.indd 16 02/11/2022 14:22:26



» Can be fitted with drainage bungs or taps.

ROTOX™



Manual handling is now an important consideration in all workplaces. We have addressed this with the new Supertuff moulded handle. Designed to suit a range of mobile tanks, it offers a number of benefits to the end-user.

- » Improved operating posture, reduces the need to bend or stoop
- » Greater and easier manoeuvrability
- » Heavy duty and durable design, moulded from tough food grade polyethylene
- » Fixings moulded into the handle reduce the number of loose fixings
- » Available in grey as standard, other colours available on request.



Description	Stainless steel mobile lids	
Material	304 DP Stainless Steel	
Option	Can be manufactured to custom sizes	
Code	To Suit	L x W x H mm
rotoXSSL30	rotoXM30	630 x 546 x 25
rotoXSSL45	rotoXM45	840 x 495 x 25
rotoXSSL70	rotoXM70	1050 x 735 x 25

www.fletchereuropean.co.uk


Fletcher 2023.indd 17 02/11/2022 14:22:30

PLASTIC 200 LITRE EUROBINS

» Heavy duty plastic moulding.

» Eurobins and lids can be manufactured in any colour to accommodate colour coding requirements.

» Plastic design reduces factory noise levels.



» Stainless steel lugs can be fitted to help with lifting.



Code	Description	External Dimensions	Material	Castor Configuration	Lid Code
EB03	200 L Eurobin handle & pouring lip	811^{L} x 675^{W} x 735^{H} mm	Plastic double skinned design	4 x 150 mm fixed 'rocker system'	EBL03

STAINLESS STEEL 200 & 300 LITRE EUROBINS



» Manufactured from 304 grade stainless steel.

» Fitted with euro lifting brackets.

» Standard units have pouring lip and handle for emptying.

» Both are available with coloured lids.

» Stainless steel lids can be manufactured on request.



Code	Description	External Dimensions	Material	Castor Configuration	Lid Code
EB01	200 L Eurobin handle & pouring lip	675^{L} x 675^{W} x 700^{H} mm	304 grade stainless steel	4 x 150 mm fixed 'rocker system'	EBL03
EB02	300 L Eurobin handle & pouring lip	675^{L} x 675^{W} x 950^{H} mm	304 grade stainless steel	4 x 150 mm fixed 'rocker system'	EBL03

Tel: 01933 440 446
sales@fletchereuropean.co.uk

Fletcher 2023.indd 18 02/11/2022 14:22:32

TROUGH UNITS

» Food grade polyethylene troughs with stainless steel frames.

» Available with one piece solid plastic lid.

» Two piece stainless steel hinged lids are available on request.

» Drainage plugs are optional - use code DP1 when you enquire.

» RM200SS stainless trough for heavy-duty applications.

ROTOX™







Code	External Trough Dimensions	Internal Trough Dimensions	Overall Height	Capacity	Lid Code	Trough Code
rotoXF135	990^{L} x 540^{W} x 390^{D} mm	910^{L} x 460^{W} x 385^{D} mm	855 mm	130 litres	rotoXL135	rotoTR135
rotoXF180	965^{L} x 720^{W} x 465^{D} mm	875^{L} x 625^{W} x 460^{D} mm	855 mm	180 litres	rotoXL180	rotoTR180





Code	External Dimensions	Internal Dimensions	Overall Height	Capacity	Lid Code	Frame Code	Colours
CR100TRA	975^{L} x 500^{W} x 285^{D} mm	905^{L} x 435^{W} x 280^{D} mm	830 mm	100 litres	rotoXL135	TRSTANDA	White
RM200SS	1235^{L} x 740^{W} x 810^{D} mm	365 mm internal depth	810 mm	200 litres	N/A	N/A	Stainless Steel

Fletcher 2023.indd 19 02/11/2022 14:22:34

POWDER COATED CHASSIS TRUCKS

- Made out of high quality powder coated steel to produce a robust chassis truck.
- Compatible with our food grade rotationally moulded tanks.
- Three different sized chassis can be purchased with their respective tanks.
- Chassis frame is designed to support heavy loads.
- Tanks are easy to remove or mount thanks to the open ended design.
- Large rubber tyre wheels for easy movement.
- Replacement tanks can be purchased if required.



Code	Dimensions	Description
CT227	830^{L} x 640^{W} x 847^{H} mm	To hold 1 rotoXTK50
CT320	1010^{L} x 685^{W} x 862^{H} mm	To hold 1 rotoXTK70
CT455	1370^{L} x 775^{W} x 907^{H} mm	To hold 1 rotoXTK100

STAINLESS STEEL CHASSIS TRUCKS



All chassis trucks come as a complete unit with their respective tank!





ROTOX™

Code	External Dimensions	Internal Dimensions	Capacity	Load	Lid Code
rotoXCT30	800^{L} x 540^{W} x 700^{H} mm	552^{L} x 467^{W} x 582^{H} mm	135 litres	250 kg	rotoXL30
rotoXCT45	1000^{L} x 470^{W} x 770^{H} mm	760^{L} x 380^{W} x 546^{H} mm	200 litres	350 kg	rotoXL45

Tel: 01933 440 446
sales@fletchereuropean.co.uk

Fletcher 2023.indd 20 02/11/2022 14:22:37

STAINLESS STEEL CHASSIS TRUCKS

ROTOX™

- Suitable for use within demanding industrial environments and capable of handling heavier and bulkier loads than a standard plastic truck or powder coated equivalent.
- The tank itself is heavy duty, food grade and watertight.
- Tanks are seamless and crevice free in design to make them easy to clean.
- The tanks can also be adapted with drainage bungs or taps if needed.
- Hinged lids are available for every model.
- Chassis are fitted with four 100 mm swivel castors.



rotoXCT70

Any Colour



rotoXCT100

Code	External Dimensions	Internal Dimensions	Capacity	Load	Lid Code
rotoXCT70	1010^{L} x 685^{W} x 750^{H} mm	903^{L} x 584^{W} x 595^{H} mm	320 litres	400 kg	rotoXL70
rotoXCT100	1320^{L} x 735^{W} x 800^{H} mm	1225^{L} x 615^{W} x 630^{H} mm	455 litres	450 kg	rotoXL100

www.fletchereuropean.co.uk

Fletcher 2023.indd 21 02/11/2022 14:22:39

PLASTIC TANKS

- Moulded in food grade polyethylene.
- - 30°C to 80°C temperature range.
- Hinged lids available for many sizes.
- Bespoke dollies and frames can be produced – call for details.
- Tough, durable and resistant to acids and chemicals – please ask for advice.
- The rotoXTK10 is a minimum quantity order of 10 units.

RotoX™

Any Colour



Plastic Drop On Lids



rotoXTK10



rotoXTK16



rotoXTK26



rotoXTK29



rotoXTK30



rotoXTK45

Code	External Dimensions	Top Int. Dimensions	Base Int. Dimensions	Capacity	Lid Code
rotoXTK10	365^{L} x 365^{W} x 600^{H} mm	275^{L} x 275^{W} mm	225^{L} x 225^{W} mm	45 litres	Included
rotoXTK16	460^{L} x 460^{W} x 418^{H} mm	412^{L} x 412^{W} mm	380^{L} x 380^{W} mm	72 litres	rotoXL26
rotoXTK29	750^{L} x 580^{W} x 460^{H} mm	640^{L} x 480^{W} mm	610^{L} x 460^{W} mm	132 litres	N/A
rotoXTK26	460^{L} x 460^{W} x 670^{H} mm	412^{L} x 412^{W} mm	370^{L} x 370^{W} mm	118 litres	rotoXL26
rotoXTK30	620^{L} x 530^{W} x 590^{H} mm	552^{L} x 467^{W} mm	520^{L} x 425^{W} mm	135 litres	rotoXL30
rotoXTK45	825^{L} x 480^{W} x 655^{H} mm	740^{L} x 410^{W} mm	700^{L} x 360^{W} mm	200 litres	rotoXL45
rotoXTK50	830^{L} x 640^{W} x 610^{H} mm	755^{L} x 555^{W} mm	740^{L} x 540^{W} mm	227 litres	rotoXL50

Tel: 01933 440 446 sales@fletchereuropean.co.uk

Fletcher 2023.indd 22 02/11/2022 14:22:44



Code	External Dimensions	Top Int. Dimensions	Base Int. Dimensions	Capacity	Lid Code
rotoXTK70	1010^{L} x 685^{W} x 625^{H} mm	903^{L} x 584^{W} mm	840^{L} x 530^{W} mm	320 litres	rotoXL70
rotoXTK100	1370^{L} x 775^{W} x 670^{H} mm	1225^{L} x 615^{W} mm	1165^{L} x 570^{W} mm	455 litres	rotoXL100



Code	External Dimensions	Capacity	Lid Code
rotoXTK15	600^{L} x 355^{W} x 575^{H} mm	65 litres	Included
rotoXTK20	600^{L} x 455^{W} x 575^{H} mm	90 litres	Included
rotoXTK35	600^{L} x 555^{W} x 575^{H} mm	150 litres	Included

» **Flip top tanks are available with a clear shatter proof PETG lid or a stainless steel lid to complete the flip top feature.**

www.fletchereuropean.co.uk

Fletcher 2023.indd 23 02/11/2022 14:22:51

TAPERED BINS

» Food grade and robust, our tapered bins are highly popular in food and pharmaceutical industries.

» Dollies available for all sizes.









Code	External Dimensions	Internal Dimensions	Capacity	Lid Code	Dolly Code
RM40B	420^{D} x 445^{H} mm	365^{D} x 425^{H} mm	40 litres	rotoXL50	rotoXD15
RM50B	420^{D} x 530^{H} mm	365^{D} x 525^{H} mm	50 litres	rotoXL50	rotoXD10
RM75B	510^{D} x 530^{H} mm	450^{D} x 510^{H} mm	75 litres	rotoXL15	rotoXDTB
RM110B	510^{D} x 730^{H} mm	460^{D} x 715^{H} mm	110 litres	rotoXL15	rotoXDTB

MINIMUM ORDER QUANTITY BINS







Code	External Dimensions	Internal Dimensions	Capacity	Lid Code	Dolly Code	Minimum Order Number
rotoXB28	565^{D} x 780^{H} mm	372^{D} x 772^{H} mm	126 litres	C20L	rotoXDTB	10
rotoXB30	540^{D} x 920^{H} mm	465^{D} x910^{H} mm	136 litres	rotoXL20	rotoXDTB	10
rotoXB60	700^{D} x 910^{H} mm	620^{D} x 890^{H} mm	273 litres	N/A	Made to order	10

Tel: 01933 440 446
sales@fletchereuropean.co.uk

Fletcher 2023.indd 24 02/11/2022 14:22:55

» **Rotationally moulded, tough and durable bins manufactured in food grade polyethylene.**

ROTOX™


rotoXB3


rotoXB4


rotoXB5


rotoXB10



rotoXB15


rotoXB20


rotoXB25


rotoXB35





» **Stainless or galvanised handles and drainage bungs can be fitted.**

Any Colour

Code	External Dimensions	Internal Dimensions	Capacity	Lid Code	Dolly Code
rotoXB3	315^{D} x 385^{H} mm	235^{D} x 380^{H} mm	14 litres	rotoXL3	Made to order
rotoXB4	315^{D} x 455^{H} mm	285^{D} x 445^{H} mm	18 litres	rotoXL4	Made to order
rotoXB5	385^{D} x 420^{H} mm	345^{D} x 415^{H} mm	23 litres	rotoXL5	rotoXD5
rotoXB10	465^{D} x 475^{H} mm	395^{D} x 460^{H} mm	45 litres	rotoXL10	rotoXD10
rotoXB15	505^{D} x 555^{H} mm	450^{D} x 550^{H} mm	68 litres	rotoXL15	rotoXDSB
rotoXB20	540^{D} x 635^{H} mm	480^{D} x 605^{H} mm	90 litres	rotoXL20	rotoXDTB
rotoXB25	590^{D} x 690^{H} mm	510^{D} x 670^{H} mm	114 litres	rotoXL25	rotoXDTB
rotoXB35	660^{D} x 690^{H} mm	575^{D} x 680^{H} mm	130 litres	rotoXL35	rotoXD35

See Pages 54-59 For Dollies

www.fletchereuropean.co.uk

Fletcher 2023.indd 25 02/11/2022 14:22:59

SQUARE BRUTE BINS

NEW PRODUCT

- Square shape offers 14% more capacity than the round containers.
- Tight fitting lids help to protect dry goods and other contents.
- Nesting handles allow for secure fitting in side-by-side use.
- Made from food grade polyethylene and certified for food contact.
- Lids available in white or grey colours only.
- Can be easily mounted onto a square dolly for enhanced mobility.



BRUTE151

2 Colour Options

Code	External Dimensions	Capacity	Lid Code	Dolly Code
BRUTE106	546^{L} x 546^{W} x 572^{H} mm	106 litres	BRUTE106L	BRUTEDOLSQ
BRUTE151	597^{L} x 597^{W} x 730^{H} mm	151 litres	BRUTE151L	BRUTEDOLSQ



BRUTE106



BRUTEDOLSQ

Tel: 01933 440 446

sales@fletchereuropean.co.uk

Fletcher 2023.indd 26 02/11/2022 14:23:01

ROUND BRUTE BINS



- » Brute bins are trusted for their iconic durability and reliability.
- » New innovative venting channels makes removing liners 50% easier.
- » Integrated clinches on the side secure liners from inside.
- » Rim features an integrated rib structure to increase strength and resist crushing.
- » A strengthened base allows the container to be dragged over rough surfaces and extend the product life span.
- » Rounded handles make lifting and moving easier, and are reinforced to resist tearing or damage from heavy loads.
- » Made from food grade polyethylene in capacities from 37 to 208 litres.
- » Available in a range of colours with an optional lid to accompany.
- » Can be easily mounted onto a round dolly for enhanced mobility.

Code	External Dimensions	Capacity	Lid Code	Dolly Code
BRUTE37	397^{D} x 435^{H} mm	37 litres	BRUTE37L	N/A
BRUTE75	495^{D} x 581^{H} mm	75 litres	BRUTE75L	BRUTEDOL
BRUTE121	559^{D} x 692^{H} mm	121 litres	BRUTE121L	BRUTEDOL
BRUTE166	610^{D} x 800^{H} mm	166 litres	BRUTE166L	BRUTEDOL
BRUTE208	673^{D} x 838^{H} mm	208 litres	BRUTE208L	BRUTEDOL



www.fletchereuropean.co.uk

Fletcher 2023.indd 27 02/11/2022 14:23:04

ROTOX™

Introducing the all new HYGINEST











» Price on application.

» The Hygibox range has been specifically designed to meet the demands of the food industry. They are the most hygienic and durable stacking boxes we supply and the perfect choice for food production environments.

» Nestable within one another when empty or stackable on top each other when full, the clever design of the Hygiest makes it the ideal food handling solution.

Code	External Dimensions	Internal Dimensions	Capacity	Lid Code	Dolly Code
HYGINEST200	600^{L} x 400^{W} x 200^{H} mm	530^{L} x 360^{W} x 190^{H} mm	30 litres	HYGI LID	rotoXD90

Tel: 01933 440 446 sales@fletchereuropean.co.uk

Fletcher 2023.indd 28 02/11/2022 14:23:08

The *Original* HYGIBOX







Any Colour



- Rotationally moulded for strength and durability.
- Long lasting shatter resistant material.
- Smooth crevice free design for easy cleaning.
- Standard European footprint.
- Available in any colour for both small and large quantity orders.
- Every box is stackable with or without the lid fitted.
- Compatible with dollies and double dollies for easy movement in the workplace.
- Tag slots can be inserted in the lips.
- For compatible mobile racks see Page 53.

See Pages 54-59 For Dollies



Code	External Dimensions	Internal Dimensions	Capacity	Lid Code	Dolly Code
HYGIBOX40	400^{L} x 300^{W} x 235^{H} mm	360^{L} x 255^{W} x 230^{H} mm	20 litres	HYGI40L	rotoXD91 (holds 2)
HYGIBOX155	600^{L} x 400^{W} x 155^{H} mm	555^{L} x 360^{W} x 144^{H} mm	30 litres	HYGIL	rotoXD91
HYGIBOX200	600^{L} x 400^{W} x 200^{H} mm	555^{L} x 360^{W} x 189^{H} mm	36 litres	HYGIL	rotoXD91
HYGIBOX	600^{L} x 400^{W} x 245^{H} mm	555^{L} x 360^{W} x 234^{H} mm	45 litres	HYGIL	rotoXD91

www.fletchereuropean.co.uk

Fletcher 2023.indd 29 02/11/2022 14:23:11

EUROPEAN STACKING CONTAINERS

» Standard European sizes for easy handling.

» Solid or perforated formats.

» Produced in food grade material.

» Lids, dollies and racks available to suit.

» Additional sizes, styles and colours available on request.

» Recycled options available on request.



21010




UK21020




21027



21030



21008



20016

Code	External Dimensions	Internal Dimensions	Capacity	Lid Code	Dolly Code
21010	400^{L} x 300^{W} x 118^{H} mm	355^{L} x 255^{W} x 105^{H} mm	10 litres	61020	rotoXD91 holds two containers
21027	400^{L} x 300^{W} x 175^{H} mm	355^{L} x 255^{W} x 164^{H} mm	15 litres	61020	rotoXD91 holds two containers
UK21020	400^{L} x 300^{W} x 235^{H} mm	355^{L} x 255^{W} x 220^{H} mm	20 litres	61020	rotoXD91 holds two containers
21030	400^{L} x 300^{W} x 319^{H} mm	355^{L} x 255^{W} x 300^{H} mm	30 litres	61020	rotoXD91 Holds two containers
21008	600^{L} x 400^{W} x 50^{H} mm	555^{L} x 355^{W} x 40^{H} mm	8 litres	61060	rotoXD91
20016	600^{L} x 400^{W} x 120^{H} mm	555^{L} x 358^{W} x 104^{H} mm	20 litres	61060	rotoXD91


Tel: 01933 440 446 sales@fletchereuropean.co.uk

Fletcher 2023.indd 30 02/11/2022 14:23:12



UK21013

3 Colour Options



UK21014

3 Colour Options

See Pages 54-59 For Dollies




UK2A021

3 Colour Options




UK2A022

3 Colour Options



20028



20029


Code	External Dimensions	Internal Dimensions	Capacity	Lid Code	Dolly Code
UK21013	600^{L} x 400^{W} x 75^{H} mm	555^{L} x 355^{W} x 62^{H} mm	12 litres	61060	rotoXD91
UK21014	600^{L} x 400^{W} x 75^{H} mm	555^{L} x 355^{W} x 62^{H} mm	12 litres	61060	rotoXD91
UK2A021	600^{L} x 400^{W} x 120^{H} mm	555^{L} x 355^{W} x 105^{H} mm	21 litres	61060	rotoXD91
UK2A022	600^{L} x 400^{W} x 120^{H} mm	555^{L} x 355^{W} x 105^{H} mm	21 litres	61060	rotoXD91
20028	600^{L} x 400^{W} x 150^{H} mm	555^{L} x 355^{W} x 139^{H} mm	28 litres	61060	rotoXD91
20029	600^{L} x 400^{W} x 150^{H} mm	555^{L} x 355^{W} x 139^{H} mm	28 litres	61060	rotoXD91

www.fletchereuropean.co.uk

Fletcher 2023.indd 31 02/11/2022 14:23:16





UK21033





UK06032





UK2A044



UK2A045



21054 - MOQ



21055 - MOQ

Code	External Dimensions	Internal Dimensions	Capacity	Lid Code	Dolly Code
UK21033	600^{L} x 400^{W} x 175^{H} mm	555^{L} x 355^{W} 164^{H} mm	33 litres	61060	rotoXD91
UK06032	600^{L} x 400^{W} x 170^{H} mm	555^{L} x 355^{W} x 158^{H} mm	32 litres	61060	rotoXD91
UK2A044	600^{L} x 400^{W} x 235^{H} mm	555^{L} x 355^{W} x 220^{H} mm	45 litres	61060	rotoXD91
UK2A045	600^{L} x 400^{W} x 235^{H} mm	555^{L} x 355^{W} x 220^{H} mm	45 litres	61060	rotoXD91
21054	600^{L} x 400^{W} x 280^{H} mm	555^{L} x 355^{W} x 265^{H} mm	54 litres	61060	rotoXD91
21055	600^{L} x 400^{W} x 280^{H} mm	555^{L} x 355^{W} x 255^{H} mm	52 litres	61060	rotoXD91


Tel: 01933 440 446 sales@fletchereuropean.co.uk

Fletcher 2023.indd 32 02/11/2022 14:23:18













See Pages 54-59 For Dollies

Code	External Dimensions	Internal Dimensions	Capacity	Lid Code	Dolly Code
21060	600^{L} x 400^{W} x 319^{H} mm	555^{L} x 355^{W} x 300^{H} mm	60 litres	61060	rotoXD91
20085	600^{L} x 400^{W} x 412^{H} mm	555^{L} x 355^{W} x 394^{H} mm	75 litres	61060	rotoXD91
21090	800^{L} x 600^{W} x 235^{H} mm	755^{L} x 555^{W} x 205^{H} mm	87 litres	61086	rotoXD40
21091	800^{L} x 600^{W} x 235^{H} mm	755^{L} x 555^{W} x 205^{H} mm	87 litres	61086	rotoXD40
UK21135	800^{L} x 600^{W} x 319^{H} mm	755^{L} x 555^{W} x 295^{H} mm	125 litres	61086	rotoXD40
21162	800^{L} x 600^{W} x 412^{H} mm	755^{L} x 555^{W} x 382^{H} mm	162 litres	61086	rotoXD40

Fletcher 2023.indd 33 02/11/2022 14:23:19

HYGIENIC STORAGE CONTAINERS

See Pages 54-59 For Dollies

ROTOX™

- Versatile storage containers in a range of specialist sizes.
- Rounded internal corners for easy cleaning.
- Colour coded lids available for UB955, UB956, UB957, UB958.
- rotoXB100, rotoXFB and rotoXB1915 feature heavy duty roto-moulded design for extra durability.
- Products can be fitted complete with tag slots for product tags and labels.



Any Colour





Code	External Dimensions	Internal Dimensions	Capacity	Lid Code	Dolly Code
rotoXB1915	575^{L} x 470^{W} x 194^{H} mm	482^{L} x 381^{W} x 165^{H} mm	32 litres	Included	rotoXD92
rotoXB8	460^{L} x 410^{W} x 185^{H} mm	460^{L} x 410^{W} x 185^{H} mm	26 litres	Included	On application
rotoXB13	700^{L} x 400^{W} x 300^{H} mm	700^{L} x 400^{W} x 300^{H} mm	53 litres	Included	On application









Code	External Dimensions	Internal Dimensions	Capacity	Lid Code	Dolly Code
UB957	415^{L} x 315^{W} x 115^{H} mm	370^{L} x 285^{W} x 110^{H} mm	11 litres	UB957L	On application
UB958	415^{L} x 315^{W} x 210^{H} mm	375^{L} x 285^{W} x 205^{H} mm	21 litres	UB957L	On application
UB955	700^{L} x 450^{W} x 120^{H} mm	610^{L} x 405^{W} x 110^{H} mm	26 litres	UB956L	rotoXD92
UB956	700^{L} x 450^{W} x 230^{H} mm	610^{L} x 405^{W} x 220^{H} mm	53 litres	UB956L	rotoXD92

Tel: 01933 440 446 sales@fletchereuropean.co.uk

Fletcher 2023.indd 34 02/11/2022 14:23:21

UNI BOXES

» A hygienic range of Uni Boxes, or Euro-stacking containers, suitable for use in high care environments.

» Easy to clean, these boxes are widely used in food production environments.

» Labels and tagging slots are available for easy contents identification.



UB905

3 Colour Options



2 Colour Options

UB903



UB906

3 Colour Options



UB904

3 Colour Options

Code	External Dimensions	Internal Dimensions	Capacity	Lid Code	Dolly Code
UB903	400^{L} x 300^{W} x 165^{H} mm	358^{L} x 258^{W} x 160^{H} mm	14 litres	UB903L	rotoXD92 (holds 2)
UB904	600^{L} x 400^{W} x 145^{H} mm	537^{L} x 358^{W} x 140^{H} mm	24 litres	UB905L	rotoXD92
UB905	600^{L} x 400^{W} x 225^{H} mm	537^{L} x 358^{W} x 220^{H} mm	40 litres	UB905L	rotoXD92
UB906	600^{L} x 400^{W} x 300^{H} mm	537^{L} x 358^{W} x 295^{H} mm	54 litres	UB905L	rotoXD92



E2 MEAT CRATE

» Made from food grade polyethylene (HDPE) the E2 crate is suitable for the handling and storage of meats, fish, bakery and dairy products.

» Designed with minimal crevices and dirt traps and can be easily cleaned.

» Excellent temperature tolerance which is ideal for use in cold rooms, blast chillers and freezers as low as -40°C.

Code	External Dimensions	Internal Dimensions	Capacity	Load	Dolly Code
E2	600^{L} x 400^{W} x 200^{H} mm	570^{L} x 370^{W} x 188^{H} mm	39 litres	500 kg	rotoXD91

Fletcher 2023.indd 35 02/11/2022 14:23:22


BALE ARM AND STACKNEST CRATES


» Ideal for storage and distribution.

» Bale arm design enables stack / nest function.

» SN190 available in a choice of colours.

» DH versions offer dual height stacking locations.











Code	External Top Dimensions	Internal Base Dimensions	Capacity	Dolly Code
DH64P	600^{L} x 400^{W} x 106^{H} mm	552^{L} x 352^{W} x 50^{H} mm	16 litres	rotoXD90
DH65P	600^{L} x 400^{W} x 167^{H} mm	548^{L} x 352^{W} x 110^{H} mm	28 litres	rotoXD90
SN640P	600^{L} x 400^{W} x 253^{H} mm	548^{L} x 352^{W} x 226^{H} mm	44 litres	rotoXD90
DH74P	691^{L} x 441^{W} x 194^{H} mm	635^{L} x 391^{W} x 168^{H} mm	43 litres	rotoXD74
SN300S	600^{L} x 400^{W} x 302^{H} mm	570^{L} x 370^{W} x 270^{H} mm	54 litres	rotoXD90

See Pages 54-59 For Dollies

Tel: 01933 440 446

sales@fletchereuropean.co.uk

Fletcher 2023.indd 36 02/11/2022 14:23:23

SN190 BALE ARM CRATE



» Other colours available on request!

Code	External Top Dimensions	Internal Base Dimensions	Capacity	Dolly Code
SN190	600^{L} x 400^{W} x 199^{H} mm	546^{L} x 349^{W} x 172^{H} mm	35 litres	rotoXD90
SN190ECO	600^{L} x 400^{W} x 199^{H} mm	546^{L} x 349^{W} x 172^{H} mm	35 litres	rotoXD90REC



» The SN190 is the market leading bale arm crate due to its capacity and uniform size of 600 x 400 x 199 mm.

» Available in a wide range of colours!

» Also now available in recycled black material! Ask for SN190ECO.




www.fletchereuropean.co.uk

Fletcher 2023.indd 37 02/11/2022 14:23:28

STACKNEST CRATES

- These food grade 180° Stack-Nest Containers are ideal if space is at a premium as they nest when not in use.
- Ergonomic hand grip designs.
- Printing service available.
- The "FB" stacknest range offers the classic stack nest functionality with a larger capacity than the standard 600^{L} x 400^{W} mm footprint equivalent crates.
- These stack nest crates are a favourite among the fishing industry but can be used in a wide range of food applications and within other industries.



FB35D

2 Colour Options

See Pages 54-59 For Dollies

Code	External Top Dimensions	Internal Base Dimensions	Capacity
FB35D	800^{L} x 450^{W} x 190^{H} mm	645^{L} x 400^{W} x 180^{H} mm	35 litres
FB60D	800^{L} x 450^{W} x 270^{H} mm	645^{L} x 400^{W} x 260^{H} mm	60 litres
FB75D	890^{L} x 560^{W} x 235^{H} mm	725^{L} x 495^{W} x 228^{H} mm	75 litres



FB60D

2 Colour Options



FB75D

2 Colour Options



RM925A

2 Colour Options



RM130A

2 Colour Options

Code	External Top Dimensions	Internal Base Dimensions	Capacity	Dolly Code	Lid Code
RM925A	600^{L} x 400^{W} x 220^{H} mm	490^{L} x 340^{W} x 215^{H} mm	40 litres	rotoXD90	RM907L and rotoX9-5L
RM130A	600^{L} x 400^{W} x 350^{H} mm	490^{L} x 340^{W} x 340^{H} mm	66 litres	rotoXD90	RM907L and rotoX9-5L

Tel: 01933 440 446 sales@fletchereuropean.co.uk

Fletcher 2023.indd 38 02/11/2022 14:23:29

FOOD GRADE COLOURED STACKNEST CRATES







SN0112



» Other colours available on request!

Code	External Top Dimensions	Internal Base Dimensions	Capacity	Dolly Code
SN0112	600^{L} x 400^{W} x 200^{H} mm	460^{L} x 340^{W} x 190^{L} mm	30 litres	rotoXD90

» Single and double dollies available for 600 x 400 mm crates.





SN0113





» Other colours available on request!

Code	External Top Dimensions	Internal Base Dimensions	Capacity	Dolly Code
SN0113	600^{L} x 400^{W} x 200^{H} mm	460^{L} x 340^{W} x 190^{L} mm	30 litres	rotoXD90

www.fletchereuropean.co.uk

Fletcher 2023.indd 39 02/11/2022 14:23:34

TWO TONE STACK-NEST RANGE

» Unique two tone design aids content management.

» Perforated containers are ideal for providing fresh air to produce.

See Pages 54-59 For Dollies



11020



11034



11052



11066

Code	External Top Dimensions	Internal Base Dimensions	Capacity	Dolly Code	Lid Code
11020	600^{L} x 400^{W} x 117^{H} mm	458^{L} x 338^{W} x 102^{H} mm	18 litres	rotoXD90	61046
11034	600^{L} x 400^{W} x 200^{H} mm	457^{L} x 338^{W} x 177^{H} mm	32 litres	rotoXD90	61046
11052	600^{L} x 400^{W} x 300^{H} mm	460^{L} x 340^{W} x 270^{H} mm	50 litres	rotoXD90	61046
11066	600^{L} x 400^{W} x 400^{H} mm	460^{L} x 340^{W} x 370^{H} mm	70 litres	rotoXD90	61046

Tel: 01933 440 446

sales@fletchereuropean.co.uk


Fletcher 2023.indd 40 02/11/2022 14:23:35

» **Made to a euro size footprint, the two tone stack-nests fit easily onto our dollies.**

» **Manufactured from food grade polyethylene and suitable for food contact.**



11032



11018



11065



11051

Code	External Top Dimensions	Internal Base Dimensions	Capacity	Dolly Code	Lid Code
11018	600^{L} x 400^{W} x 117^{H} mm	458^{L} x 338^{W} x 102^{H} mm	18 litres	rotoXD90	61046
11032	600^{L} x 400^{W} x 200^{H} mm	457^{L} x 338^{W} x 177^{H} mm	32 litres	rotoXD90	61046
11051	600^{L} x 400^{W} x 300^{H} mm	460^{L} x 340^{W} x 270^{H} mm	50 litres	rotoXD90	61046
11065	600^{L} x 400^{W} x 400^{H} mm	460^{L} x 340^{W} x 370^{H} mm	70 litres	rotoXD90	61046

ATTACHED LID CONTAINERS

» Strong stacking from five to eight high with unit load of between 25 and 70 kg.

» Integral hinged lid cannot be separated from container and lost.

» Labelling options; drop-in card, label holder & adhesive label dimple pads on both ends.

See Pages 54-59 For Dollies



TOTE28

2 Colour Options



TOTE43

Code	External Dimensions	Capacity	Dolly Code
TOTE28	400^{L} x 300^{W} x 300^{H} mm	28 litres	rotoXD90 (holds 2)
TOTE43	600^{L} x 400^{W} x 250^{H} mm	43 litres	rotoXD90
TOTE55	600^{L} x 400^{W} x 306^{H} mm	55 litres	rotoXD90
TOTE70	600^{L} x 400^{W} x 370^{H} mm	70 litres	rotoXD90
TOTE80	600^{L} x 400^{W} x 420^{H} mm	80 litres	rotoXD90

Tel: 01933 440 446 sales@fletchereuropean.co.uk

Fletcher 2023.indd 42 02/11/2022 14:23:35

THE TOTE RANGE

» Available in two colours; recycled black for non food use, or a food contact approved blue lid version.

» Nesting up to 75% when empty, saving valuable space on return transport.

» Secure tamper-evident security seal fixings available on request.



TOTE55



TOTE70

2 Colour Options



TOTE80

Fletcher 2023.indd 43 02/11/2022 14:23:37

BREAD BASKETS

» 10 loaf bread basket.

FE01



» 15 loaf bread basket.

FE03




» Tailored bread basket dollies can be found on page 56.

» Other colours available on request.

Code	External Top Dimensions	Internal Base Dimensions	Capacity	Material	Dolly Code
FE01	542^{L} x 658^{W} x 186^{H} mm	517^{L} x 625^{W} x 170^{H} mm	52 litres	Polypropylene	BT10D
FE03	772^{L} x 627^{W} x 176^{H} mm	716^{L} x 586^{W} x 150^{H} mm	68 litres	Polypropylene	BT15D



FE12



FE15

Code	External Top Dimensions	Internal Base Dimensions	Capacity	Material	Dolly Code
FE12	762^{L} x 508^{W} x 216^{H} mm	697^{L} x 463^{W} x 190^{H} mm	65 litres	Polypropylene	rotoXD40
FE15	788^{L} x 617^{W} x 190^{H} mm	723^{L} x 569^{W} x 165^{H} mm	68 litres	Polypropylene	rotoXD40




SN645401

» Minimum Order Quantity Item


Code	External Top Dimensions	Internal Base Dimensions	Capacity	Material	Dolly Code
SN645401	640^{L} x 540^{W} x 117^{H} mm	595^{L} x 505^{W} x 88^{H} mm	26 litres	Polypropylene	RM30DYSS

COLLAPSIBLE CRATES

- » Sturdy construction in design with a smooth inside surface, ergonomic handles and rounded edges.
- » Up to 85% space saving when folded flat.
- » Superb ventilation to help temperature control.
- » 'Click in' folding system allows fast and safe folding and unfolding.
- » Also available in Recycled Black on request!



FC4318



FC6418



See Pages 54-59 For Dollies



FC6424



Code	External Dimensions	Internal Dimensions	Folded Dimensions	Capacity	Load	Material	Dolly Code
FC4318	400^{L} x 300^{W} x 180^{H} mm	370^{L} x 270^{W} x 175^{H} mm	400^{L} x 300^{W} x 50^{H} mm	17.5 litres	140 kg	Polypropylene	rotoXD91 (holds 2)
FC6418	600^{L} x 400^{W} x 180^{H} mm	570^{L} x 370^{W} x 175^{H} mm	600^{L} x 400^{W} x 35^{H} mm	37 litres	240 kg	Polypropylene	rotoXD91
FC6424	600^{L} x 400^{W} x 235^{H} mm	570^{L} x 370^{W} x 230^{H} mm	600^{L} x 400^{W} x 50^{H} mm	48.5 litres	300 kg	Polypropylene	rotoXD91


CONFECTIONERY TRAYS


- » Standard size bakery trays available in 92, 123 and 176 mm depths.
- » Full printing service available.
- » Lid and dolly available in any colour for any quantity.
- » Bespoke racks can be made to suit individual requirements.
- » Colour options available, call for more information.

See Pages 54-59 For Dollies











Code	External Top Dimensions	Internal Base Dimensions	Capacity	Material	Lid Code	Dolly Code
30183A	762^{L} x 457^{W} x 92^{H} mm	715^{L} x 412^{W} x 72^{H} mm	22 litres	Polypropylene	3018L	rotoXD38
30183B	762^{L} x 457^{W} x 92^{H} mm	715^{L} x 412^{W} x 72^{H} mm	22 litres	Polypropylene	3018L	rotoXD38
30183C	762^{L} x 457^{W} x 92^{H} mm	715^{L} x 412^{W} x 72^{H} mm	22 litres	Polypropylene	3018L	rotoXD38
R41042	750^{L} x 450^{W} x 165^{H} mm	724^{L} x 425^{W} x 138^{H} mm	43 litres	HDPE	N/A	RM30DYSS
PLASTIGRID	755^{L} x 455^{W} x 30^{H} mm	N/A	N/A	Polypropylene	N/A	N/A

Tel: 01933 440 446
sales@fletchereuropean.co.uk

Fletcher 2023.indd 46 02/11/2022 14:23:40



30184A

5 Colour Options



30186A

5 Colour Options



30184B

5 Colour Options




30186B

5 Colour Options



30184C

5 Colour Options



30186C

5 Colour Options

Code	External Top Dimensions	Internal Base Dimensions	Capacity	Material	Lid Code	Dolly Code
30184A	762^{L} x 457^{W} x 123^{H} mm	715^{L} x 412^{W} x 103^{H} mm	32 litres	Polypropylene	3018L	rotoXD38
30184B	762^{L} x 457^{W} x 123^{H} mm	715^{L} x 412^{W} x 103^{H} mm	32 litres	Polypropylene	3018L	rotoXD38
30184C	762^{L} x 457^{W} x 123^{H} mm	715^{L} x 412^{W} x 103^{H} mm	32 litres	Polypropylene	3018L	rotoXD38
30186A	762^{L} x 457^{W} x 176^{H} mm	715^{L} x 412^{W} x 156^{H} mm	48 litres	Polypropylene	3018L	rotoXD38
30186B	762^{L} x 457^{W} x 176^{H} mm	715^{L} x 412^{W} x 156^{H} mm	48 litres	Polypropylene	3018L	rotoXD38
30186C	762^{L} x 457^{W} x 176^{H} mm	715^{L} x 412^{W} x 156^{H} mm	48 litres	Polypropylene	3018L	rotoXD38

WIRE TRAYS


» Zinc plated finish makes these trays an excellent choice in ambient temperatures.

» The mesh design allows for perfect cooling and handling of contents.


» Three variants of mesh size to meet your requirements.

» Stainless steel options are available on request; ideal for blast chiller and oven use.


» WT1WF is fitted with 25 mm high feet.




WT1



WT3/50



WT4/50



WT6/50

If handling is an issue, why not try one of our stainless steel bakery trolleys on the next page?

Code	Depth	Dimensions	Mesh Size
WT1	Flat	762^{L} x 457^{W} mm	127 x 13 mm
WT1WF	25 mm feet	762^{L} x 457^{W} mm	127 x 13 mm
WT3/25	76 mm	762^{L} x 457^{W} mm	25 x 25 mm
WT3/50	76 mm	762^{L} x 457^{W} mm	50 x 50 mm
WT3/75	76 mm	762^{L} x 457^{W} mm	75 x 25 mm

Code	Depth	Dimensions	Mesh Size
WT4/25	101 mm	762^{L} x 457^{W} mm	25 x 25 mm
WT4/50	101 mm	762^{L} x 457^{W} mm	50 x 50 mm
WT4/75	101 mm	762^{L} x 457^{W} mm	75 x 25 mm
WT6/25	152 mm	762^{L} x 457^{W} mm	25 x 25 mm
WT6/50	152 mm	762^{L} x 457^{W} mm	50 x 50 mm
WT6/75	152 mm	762^{L} x 457^{W} mm	75 x 25 mm

Tel: 01933 440 446

sales@fletchereuropean.co.uk

Fletcher 2023.indd 48 02/11/2022 14:23:45

PERFORATED ALUMINIUM TRAYS

SOLID ALUMINIUM TRAYS

» Rolled Lip Trays





» Three Sided Trays





» Four Sided Trays





Code	Dimensions	Base	Edge
PATRL	762^{L} x 457^{W} mm	Perforated	Rolled
PAT3	762^{L} x 457^{W} x 25^{H} mm	Perforated	3 sided
PAT4	762^{L} x 457^{W} x 25^{H} mm	Perforated	4 sided

Code	Dimensions	Base	Edge
SATRL	762^{L} x 457^{W} mm	Solid	Rolled
SAT3	762^{L} x 457^{W} x 25^{H} mm	Solid	3 sided
SAT4	762^{L} x 457^{W} x 25^{H} mm	Solid	4 sided

BAKERY TROLLEY COVERS

- Covers to suit our standard racks - RM9SS/ RM15SS/RM20SS.
- Excellent at shielding food contents from foreign body.
- Velcro sealed flap allows trays to be easily withdrawn without the removal of the entire cover.
- Available in two materials - Nylon and PVC.
- PVC covers are waterproof.
- Optional windows allow good visibility of the contents within.



BTC/NYLON



BTC/NYLON/WINDOW



BTC/PVC



BTC/PVC/WINDOW

Bespoke covers can be made to suit any rack or trolley.

Tel: 01933 440 446
sales@fletchereuropean.co.uk

Fletcher 2023.indd 50 02/11/2022 14:23:54

STAINLESS STEEL BAKERY TROLLEYS

» Ideal for use within food handling environments such as bakeries, commercial kitchens and food factories.

» Highly manoeuvrable and easily handled.

» Designed to be incredibly durable.

» Mounted on four hard wearing castors.

» Our trolleys can be supplied as standard or to bespoke specifications including braked castors, double bays, additional supports and with or without a back support bar.



Code	Description
RM9SS	To suit trays measuring up to 762^{L} x 457^{W} x 176^{H} mm on page 47
RM15SS	To suit trays measuring up to 762^{L} x 457^{W} x 92^{H} mm on page 46
RM20SS	To suit trays on page 48 & 49 and Plastigrids on page 46





Fletcher 2023.indd 51 02/11/2022 14:23:56

STAINLESS TABLE TROLLEYS

» The stainless steel table trolleys are perfect for food storage and preparation as they can double up as practical table top surface.

» Available in three formats; standard bay, standard bay with a chopping board insert top, or double bay.

» 4 castor setup includes two braked castors to allow easy transportation and secure parking.



RM5SS

With a built in chopping board top!

4 Colour Options



RM5SSCT



RM5SSD

NEW PRODUCT

Code	Description
RM5SS	To suit trays measuring up to 762^{L} x 457^{W} x 123^{H} mm
RM5SSCT	To suit trays measuring up to 762^{L} x 457^{W} x 123^{H} mm
RM5SSD	To suit trays measuring up to 762^{L} x 457^{W} x 123^{H} mm

Tel: 01933 440 446

sales@fletchereuropean.co.uk

Fletcher 2023.indd 52 02/11/2022 14:24:00

HYGIBOX AND EURO STACKER TROLLEYS

» With a choice of single or double bay trolleys, they are designed to hold a typical euro container footprint measuring 600^{L} x 400^{W} mm.

» Two variants in height allow the trolleys to hold a 234^{H} mm container, or a shallower 155^{H} mm.

RM8SSEURO



Code	Description
RM8SSEURO	To hold 8 containers measuring up to 600^{L} x 400^{W} x 155^{H} mm
RM8SSDEURO	To hold 8 containers measuring up to 600^{L} x 400^{W} x 155^{H} mm
RM6SSDEURO	To hold 6 containers measuring up to 600^{L} x 400^{W} x 245^{H} mm



RM8SSDEURO

NEW PRODUCT



RM6SSDEURO



RM6SSDEURO

www.fletchereuropean.co.uk

Fletcher 2023.indd 53 02/11/2022 14:24:05

ROTO*X* PLASTIC DOLLIES

- » Roto-moulded dollies feature fully hygienic designs with no crevices.
- » Full colour coding available.
- » Plastic dollies suitable for environments -30°C to 80°C.
- » Standard 100 mm zinc plated castors can be upgraded to Stainless on request.
- » RECYCLED DOLLIES also available in black.













Code	Aperture Size	Description
rotoXD38	765^{L} x 460^{W} mm	To suit 765^{L} x 455^{W} mm confectionery trays
rotoXD40	800^{L} x 645^{W} mm	To suit Bread baskets and 800^{L} x 600^{W} mm Euro Stackers
rotoXD74	645^{L} x 395^{W} mm	To suit containers up to 645^{L} x 395^{W} mm
rotoXD36	762^{L} x 460^{W} mm	To suit 765^{L} x 455^{W} mm confectionery trays
rotoXD75	640^{L} x 385^{W} mm	To suit up to 640^{L} x 385^{W} mm

Tel: 01933 440 446 sales@fletchereuropean.co.uk

Fletcher 2023.indd 54 02/11/2022 14:24:07


ROTOX™







» Optional Handle Available









Code	Aperture Size	Description
rotoXD90	560^{L} x 360^{W} mm	To suit 600^{L} x 400^{W} mm Stack nest trays
rotoXD50	2 x 550^{L} x 360^{W} mm	Double dolly to suit 2 x 600^{L} x 400^{W} mm Stack nest trays
rotoXD91	610^{L} x 405^{W} mm	To suit 600^{L} x 400^{W} mm Euro Stacking trays
rotoXD54	2 x 610^{L} x 410^{W} mm	Double dolly to suit 2 stacks of 600 x 400mm stack or stack / nest containers
rotoXD92	610^{L} x 405^{W} mm	Solid deck dolly to suit 600^{L} x 400^{W} mm Euro Stacking Trays
rotoXD52	2 x 612^{L} x 402^{W} mm	Double dolly to suit 2 x 600^{L} x 400^{W} mm Euro Stacking trays

www.fletchereuropean.co.uk

Fletcher 2023.indd 55 02/11/2022 14:24:10

UNIVERSAL DOUBLE DOLLY

- Plastic double dolly capable of carrying a range of containers.
- Suits 600 x 400 mm Euro containers, stack nest containers, bale arm crates and attached lid boxes.
- Fourteen spring-loaded pop-ups provide safe retention for trays and contents weighing up to 500kg.
- Can be equipped with a removable handle for better control.
- Compatible for use with forklifts.



Code	External Dimensions	Description
DO975904	800^{L} x 600^{W} mm	To suit 600^{L} x 400^{W} mm Euro containers

600 X 400 mm ECONOMY DOLLY



- Manufactured from food grade polypropylene, well suited for use within industrial environments.
- Supplied with two fixed/two swivel 100 mm castors with rubber wheels, reducing surface noise.
- Braked castors are available on request.

Code	External Dimensions
BP64D	600^{L} x 400^{W} mm

STAINLESS STEEL DOLLIES





Code	Use
RM90DSS	To fit a single 600^{L} x 400^{W} mm Euro Stacking container
RM30DYSS	Made to any size to suit any specific requirements





Code	Use
BALEDDSS	To fit two 600^{L} x 400^{W} mm Bale Arm crates
EURODDSS	To fit two 600^{L} x 400^{W} mm Euro Stacking containers
HYGIDDSS	To fit two 600^{L} x 400^{W} mm Hygiboxes



Fletcher 2023.indd 57 02/11/2022 14:24:15

ROTO*X* HANDLING DOLLIES

The perfect transport solution for our inter-stacking bins on Page 12

» Stainless steel frame, complete with removable plastic inserts.

» Ideal for cleaning down or changing colour coding requirements.



rotoXFDD



rotoXFQD

Code	Aperture Size	Description
rotoXFDD	385 mm x 2	Stainless steel double dolly to suit inter-stacking bins on page 12
rotoXFQD	385 mm x 4	Stainless steel quad dolly to suit inter-stacking bins on page 12





rotoXD07

Code	Dimensions	Aperture Size	Description
rotoXD07	1035^{L} x 455^{W} x 995^{H} mm	385^{D} mm x 2	Stainless steel double dolly to suit inter-stacking bins on page 12

Tel: 01933 440 446 sales@fletchereuropean.co.uk

Fletcher 2023.indd 58 02/11/2022 14:24:18

DOLLIES FOR INTER-STACKING AND TAPERED BINS





Code	Aperture Size	Description
rotoXDSB	385 mm Diameter	Round dolly to suit inter-stacking bin range on page 12
rotoXDTB	445 mm Diameter	Round dolly to suit tapered bin range on pages 24 & 25

CIRCULAR METAL DOLLIES

- Made out of stainless steel or, a more cost effective, black powder coated mild steel.
- 6 standard sizes readily available.
- Circular steel dollies can be made to any bespoke requirements.
- Perfect for our tapered bin range on Pages 24 & 25.



Stainless Steel Dollies

rotoXD5SS	295 mm diameter
rotoXD10SS	360 mm diameter
rotoXD15SS	400 mm diameter
rotoXD20SS	450 mm diameter
rotoXD25SS	480 mm diameter
rotoXD35SS	515 mm diameter

Mild Steel Dollies

rotoXD5	295 mm diameter
rotoXD10	360 mm diameter
rotoXD15	400 mm diameter
rotoXD20	450 mm diameter
rotoXD25	480 mm diameter
rotoXD35	515 mm diameter



RAISED STAND AND TROLLEY





Code	Dimensions	Insert Depth	Castors	Description
rotoXT06	460^{D} x 760^{H} mm	180 mm	N/A	Stainless steel stand to suit inter-stacking bins on page 12
rotoXT06M	610^{D} x 760^{H} mm	180 mm	4 x 100 mm swivel	Stainless steel mobile stand to suit inter-stacking bins on page 12

PLASTIC BUCKETS



RM2B



MBK8



VK6



VK12



VK20



rotoXB4SS



CR20



CR30

Code	Dimensions	Capacity	Handle finish	Lid Available
RM2B	280^{D} x 280^{H} mm	9 litres	Chrome	N/A
VK6	270^{D} x 258^{H} mm	6 litres	Stainless steel	VK6L
VK12	325^{D} x 318^{H} mm	12 litres	Stainless steel	VK12L
VK20	470^{D} x 380^{H} mm	20 litres	Stainless steel	VK20L

Code	Dimensions	Capacity	Handle finish	Lid Available
MBK8	267^{D} x 248^{H} mm	9 litres	Plastic	N/A
rotoXB4SS	315^{D} x 455^{H} mm	22 litres	Stainless steel	Included
CR20	330^{D} x 280^{H} mm	20 litres	Galvanised	N/A
CR30	370^{D} x 420^{H} mm	30 litres	Galvanised	N/A

Tel: 01933 440 446
sales@fletchereuropean.co.uk

Fletcher 2023.indd 60 02/11/2022 14:24:27

STAINLESS STEEL BUCKETS





Code (Flat Base)	Code (Reinforced Foot)	Dimensions	Capacity	Lid Code
MBK6	N/A	255^{D} x 240^{H} mm	6 litres	MBK6L
MBK10	MBK10RF	300^{D} x 270^{H} mm	10 litres	MBK10L
MBK12	MBK12RF	310^{D} x 295^{H} mm	12 litres	MBK12L
MBK15	MBK15RF	325^{D} x 310^{H} mm	15 litres	MBK15L
N/A	MBK20RF	320^{D} x 380^{H} mm	20 litres	N/A

STAINLESS STEEL BUCKET STANDS

» The BKST stainless steel bucket stand is made to fit any bucket from our range.

» We can also make them to fit bespoke measurements required by you.



www.fletchereuropean.co.uk

Fletcher 2023.indd 61 02/11/2022 14:24:31

AIRTIGHT BUCKETS

- » 2.5 to 110 litre re-usable airtight containers.
- » Tamper-evident option in many sizes.
- » Many coloured alternatives available.
- » Sold in convenient boxed or pallet quantities.
- » Plastic / Aluminium Handles.





» Other colours available on request!



Code	External Dimensions	Capacity	Boxed Quantity
V25	195^{D} x 134^{H} mm	2.5 litres	140
V30	195^{D} x 155^{H} mm	3 litres	130
V50	233^{D} x 205^{H} mm	5 litres	100
V110	282^{D} x 253^{H} mm	11 litres	50
V120	282^{D} x 274^{H} mm	12 litres	50

Code	External Dimensions	Capacity	Boxed Quantity
V160	323^{D} x 272^{H} mm	16 litres	40
V200	323^{D} x 335^{H} mm	20 litres	30
V250	323^{D} x 418^{H} mm	25 litres	20
V330	370^{D} x 415^{H} mm	33 litres	62
V600	430^{D} x 560^{H} mm	60 litres	60

Tel: 01933 440 446
sales@fletchereuropean.co.uk

Fletcher 2023.indd 62 02/11/2022 14:24:31

SCOOPS AND JUGS

- » Tough food grade polyethylene sundry products.
- » Choice of colours available.
- » Coloured metal detectable products and purple anti-microbial versions available.
- » Lightweight constructions and ergonomic handles for ease of use.
- » Standard items work from –15°C to 80°C.



Code	Dimensions	Capacity
SC03	355^{L} x 167^{W} x 90^{D} mm	1 litre
SC02	310^{L} x 138^{W} x 74^{D} mm	750 ml
SC01	250^{L} x 110^{W} x 60^{D} mm	500 ml
MINI SCOOP	207^{L} x 107^{W} x 77^{D} mm	175 ml

7 Colour Options





Code	Description	Dimensions	Capacity
J48	Plastic Pouring Jug	175^{W} x 240^{L} x 150^{D} mm	2 litres
JS46	Plastic Scoop Jug	175^{W} x 190^{L} x 150^{D} mm	2 litres



7 Colour Options

Code	Dimensions	Capacity
RMBS1	335^{L} x 180^{W} x 85^{D} mm	1 litres
RMBS2	360^{L} x 222^{W} x 80^{D} mm	2 litres



Description	Lobby pan
Dimensions	310^{W} x 270^{D} x 1030^{L} mm
Weight	1200 g
Temp. Range	-20 to +60°C
Material	PP
Pack Quantity	5

5 Colour Options

Fletcher 2023.indd 63 02/11/2022 14:24:36

SQUARE FOOD STORAGE CONTAINERS

» Containers and snap-on lids are available in three types of plastic - Polycarbonate, Translucent Polypropylene and Polyethylene.

» Snap-on lids feature thumb tabs for easy removal.

» Polycarbonate containers can also be fitted with sealed covers to provide excellent spill resistance.

» Can withstand temperatures from -40°C to 70°C. Polycarbonated containers can tolerate greater temperatures from -40°C to 99°C.

» Instacking design saves space when not in use.





Code (Polycarbonate)	Code (Translucent Polypropylene)	Code (Polyethylene)	Capacity	Dimensions
2SFSCW	2SFSPP	2SFSP	1.9 litres	185^{L} x 185^{W} x 100^{H} mm
4SFSCW	4SFSPP	4SFSP	3.8 litres	185^{L} x 185^{W} x 187^{H} mm
6SFSCW	6SFSPP	6SFSP	5.7 litres	215^{L} x 215^{W} x 185^{H} mm
8SFSCW	8SFSPP	8SFSP	7.6 litres	215^{L} x 215^{W} x 230^{H} mm
12SFSCW	12SFSPP	12SFSP	11.4 litres	256^{L} x 310^{W} x 210^{H} mm
18SFSCW	18SFSPP	18SFSP	17.2 litres	256^{L} x 310^{W} x 320^{H} mm
22SFSCW	22SFSPP	22SFSP	20.8 litres	256^{L} x 310^{W} x 400^{H} mm

Polycarbonate Lids

Code	Fits (Capacity)
SFC2SCPP	1.9 & 3.8
SFC6SCPP	5.7 & 7.6
SFC12SCPP	11.4, 17.2 & 20.8

Coloured Lids

Code & Colour	Fits (Capacity)
SFC2 Green	1.9 & 3.8
SFC6 Red	5.7 & 7.6
SFC12 Blue	11.4, 17.2 & 20.8

Tel: 01933 440 446
sales@fletchereuropean.co.uk

Fletcher 2023.indd 64 02/11/2022 14:24:37

ROUND FOOD STORAGE CONTAINERS

- Store ingredients or transport ready to serve or partially prepared foods.
- Available in 3 options - Polycarbonate, Polypropylene and White Polyethylene.
- Polycarbonate containers can also be fitted with sealed covers to provide excellent spill resistance.
- Round shape promotes proper air circulation, ideal for stirring soups and sauces.
- Resists food acids, oils and alcohol as well as being stain and odour resistant.
- Reduced risk of contamination and enhances food safety.
- Easy to read graduations to help with produce management.







Code (Polycarbonate)	Code (Translucent Polypropylene)	Code (Polyethylene)	Capacity	Dimensions
RFSCW1	RFS1PP	RFS1	0.9 litres	154^{D} x 127^{H} mm
RFSCW2	RFS2PP	RFS2	1.9 litres	208^{D} x 111^{H} mm
RFSCW4	RFS4PP	RFS4	3.8 litres	208^{D} x 218^{H} mm
RFSCW6	RFS6PP	RFS6	5.7 litres	252^{D} x 202^{H} mm
RFSCW8	RFS8PP	RFS8	7.6 litres	252^{D} x 276^{H} mm
RFSCW12	RFS12PP	RFS12	11.4 litres	378^{D} x 213^{H} mm
RFSCW18	RFS18PP	RFS18	17.2 litres	378^{D} x 305^{H} mm
RFSCW22	RFS22PP	RFS22	20.8 litres	378^{D} x 381^{H} mm

White Polyethylene Lids

Code	Fits (Capacity)
RFSC1	0.9
RFSC2	1.9 & 3.8
RFSC6	5.7 & 7.6
RFSC12	11.4, 17.2 & 20.8


Translucent Polypropylene Lids

Code	Fits (Capacity)
RFSC1PP	0.9
RFSC2PP	1.9 & 3.8
RFSC6PP	5.7 & 7.6
RFSC12PP	11.4, 17.2 & 20.8

Translucent Polycarbonate Seal Covers

Code	Fits (Capacity)
RFS1SCPP	0.9
RFS2SCPP	1.9 & 3.8
RFS6SCPP	5.7 & 7.6
RFS12SCPP	11.4, 17.2 & 20.8

WEIGH SCALES - Calibration Certificates provided on request.



- » Bench Top Electronic Scales - ideal for food industries and light warehouses.
- » Stainless steel low profile electronic bench scales.
- » Complete with 800 mm cable connecting weighing platform to display. Display also comes with plastic bracket to allow for wall or bench mounting.
- » 4 Key Control – on/off, tare, kg/lb switching and hold to freeze weight on display.

Code	Description	Dimensions
WS10A	15 kg capacity with 5 g increments	380^{L} x 300^{W} x 27^{D} mm
WS10B	60 kg capacity with 20 g increments	380^{L} x 300^{W} x 27^{D} mm
WS10C	120 kg capacity with 50 g increments	380^{L} x 300^{W} x 27^{D} mm

- » General Purpose Economy Scales - suitable for catering and general purpose.
- » Economy all-purpose weighing scales.
- » Plastic ABS base with removable stainless steel 245 x 215 mm platform.
- » Operates from both mains power and in built rechargeable battery – providing fully portable unit.
- » 2 Key control – Tare/ Units, On/ Off.




Code	Description	Dimensions
C405A	6 kg capacity with 1 g increments	250^{L} x 300^{W} mm
C405B	15 kg capacity with 2 g increments	250^{L} x 300^{W} mm



- » Wash Down Check Weigher - perfect for the food industry and catering.
- » Scale built to operate in harsh wet environments such as portion control, food processing and meat preparation areas.
- » Operates from both mains power and an in built rechargeable battery making the unit fully portable.
- » Simple to operate with 4 key control – off, on/ zero, tare & function.

Code	Description	Dimensions
C3265A	3 kg capacity with 0.5 g increments	229^{L} x 190^{W} mm
C3265B	6 kg capacity with 1 g increments	229^{L} x 190^{W} mm
C3265C	15 kg capacity with 2 g increments	229^{L} x 190^{W} mm

- » General Purpose Floor Scale - ideal for general purpose and warehousing.
- » General all-purpose floor weighing scales.
- » Mild steel base with stainless steel weigh platform and column, with robust ABS plastic digital display.
- » Operates from both mains power and in built rechargeable battery.
- » 4 Key Control – Power switch, On/Off/Zero, Tare, Units, Hold/ Print.



Code	Description	Base Dimension
ZM110A	60 kg capacity with 10 g increments	400^{L} x 400^{W} mm
ZM110B	150 kg capacity with 20 g increments	400^{L} x 400^{W} mm
ZM110C	300 kg capacity with 50 g increments	400^{L} x 400^{W} mm

Tel: 01933 440 446 sales@fletchereuropean.co.uk

Fletcher 2023.indd 66 02/11/2022 14:24:39

THERMOMETERS



» Foldable Digital Probe Thermometer - temperature range from -50°C to 300°C and accurate to plus/minus 1°C.

» Screen resolution accurate to 0.1°C and a response time of 15 seconds.

» Fold away probe for easy storage and detachable wrist strap.

» Supplied with 1 AAA battery.

» Water Resistant Digital Thermometer - temperature range from -50°C to 200°C and a screen resolution accurate to 0.1°C.

» Water resistant.

» Max/Min memory function.

» Complete with a probe cover that incorporates a pocket clip and wall mounting keyhole slot.

» Supplied with 1 x 1.5 volt battery.





» Handheld Digital Thermometer - temperature range from -50°C to 300°C.

» Large LCD display with automatic shut off.

» Detachable stainless steel probe.

» Supplied with 2 AA batteries.

» Infrared Thermometer - temperature range from -50°C to 400°C and a screen resolution accurate to 0.1°C.

» The large LCD screen delivers a response time of 0.5 seconds.

» Designed to take the surface temperature of any solid or liquid without the use of a probe.

» Requires minimal cleaning and prevents cross contamination.

» 9 volt battery included with a life of 16 hours and an automatic turn off after 6 seconds.



www.fletchereuropean.co.uk

Fletcher 2023.indd 67 02/11/2022 14:24:42

KNIVES

» Blade lengths from 3.5” to 12” (89 mm to 305 mm).

» Colour coded handles to suit industry standard procedures.

» All knives come individually packed with protective sheathes.

» Scabbards and racks available to safely store all items when not in use.




























Code	Size	Description
PAIRK3.5	3.5”	Paring knife
PALK4	4”	Palette knife
VEGK4	4”	Vegetable knife
SUK5	5”	Scalloped utility knife
FILLK6	6”	Fillet knife
BONK6	6”	Boning knife

Code	Size	Description
COOK6.5	6.5”	Cooks knife
PALK8	8”	Palette knife
COOK8.5	8.5”	Cooks knife
COOK10	10”	Cooks knife
SLIK10	10”	Slicer knife
SLIK12	12”	Slicer knife



» 3 additional colours available as minimum order quantities of 10.

Tel: 01933 440 446

sales@fletchereuropean.co.uk

Fletcher 2023.indd 68 02/11/2022 14:24:48

CHOPPING BOARDS

» Tough polyethylene material.

» Colour coded.

» Industrial quality.

» Suitable for all applications.

» Dishwasher safe.

» Can be made to any size.

» Can also be custom made as rack and table tops.

Code	Thickness	Length	Width
CB4312	12 mm	457 mm	305 mm
CB5312	12 mm	500 mm	356 mm
CB6412	12 mm	610 mm	440 mm
CB3212	12 mm	305 mm	229 mm
CB4320	20 mm	457 mm	305 mm
CB5320	20 mm	500 mm	356 mm
CB6420	20 mm	610 mm	440 mm
CB3220	20 mm	305 mm	229 mm
CB4325	25 mm	457 mm	305 mm
CB5325	25 mm	500 mm	356 mm
CB6425	25 mm	610 mm	440 mm
CB3225	25 mm	305 mm	229 mm



SAFETY KNIVES







Code	Description	Features
P900M	Heavy duty safety knife	Fixed stainless steel blade Metal detectable
F600M	Disposable safety knife with hook	Fixed stainless steel blade Metal detectable



Description	Wall mounted knife scabbard
Dimensions	260^{w} x 35^{d} x 305^{h} mm



Description	Rolling pin
Dimensions	500^{W} x 45^{D} mm
Material	Tough polyethylene material

Fletcher 2023.indd 69 02/11/2022 14:24:49






































Code	Dimensions	Description
SP01	76^{W} x 205^{L} mm	Plastic hand scraper
SP02	100^{W} x 250^{L} mm	Plastic hand scraper
H13	150^{L} x 97^{W} mm	Small flexi scraper
H14	230^{L} x 118^{W} mm	Large flexi scraper
MSC22	120^{L} x 85^{W} mm	Flexible stainless steel hand scraper
MSC4	155^{L} x 0.56^{W} mm	Stainless steel dough cutter
MSC3	75^{L} x 0.8^{W} mm	Stainless steel hand scraper
MSC3/38	38^{L} x 0.8^{W} mm	Stainless steel hand scraper

Code	Dimensions	Description
RMST	39^{L} x 12 x 408^{W} mm	Stirrer
FSC1	235^{L} x 33 x 270^{W} mm	Flexible nylon scraper
SP01SS	37^{L} x 125^{W} mm	Stainless steel scraper
SP02SS	75^{L} x 125^{W} mm	Stainless steel scraper
HW101	125^{L} x 290^{W} x 540^{H} mm	Hand held paddle
PSH7	242^{L} x 264^{W} x 478^{H} mm	Hand held shovel
DP13	305^{W} x 200^{L} mm	Dustpan

Tel: 01933 440 446
sales@fletchereuropean.co.uk

Fletcher 2023.indd 70 02/11/2022 14:24:54

ANTI-MICROBIAL PRODUCTS

The Anti-Microbial range uses Iraguard Silver based additive built into all plastic parts. Used together with standard cleaning procedures, it effectively inhibits the growth of a broad range of moulds, mildews and bacteria on the surface of the products themselves. The combination of low migration rates and high melting point makes it especially suitable for intensive use and high temperature environments.


HAB40


HAB41


HAB42


HAB44


HAB01


HAB03


HAB12


HAB14



HAB51


AMB861


AMB758


AMB809


AMDP13


AMPLH3

Code	Dimensions	Description
HAB40	110^{W} x 150^{D} x 250^{L} mm	Small hand scoop
HAB41	138^{W} x 187^{D} x 310^{L} mm	Medium hand scoop
HAB42	167^{W} x 230^{D} x 355^{L} mm	Large hand scoop
HAB44	220^{W} x 80^{D} x 360^{L} mm	Round bowl scoop
HAB01	247^{L} x 315 x 527^{W} mm	Standard pan shovel
HAB03	247^{L} x 315 x 966^{W} mm	Standard blade T grip
HAB12	100^{L} x 250^{W} mm	Scraper (4")

Code	Dimensions	Description
HAB14	230^{W} x 118^{D} mm	Anti-microbial flexi-scraper
HAB51	39^{W} x 12^{D} x 421^{L} mm	Universal stirrer with hanger
AMB861	317^{W} x 57^{L} mm	Anti-microbial brush with soft trim
AMDP13	315^{W} x 325^{L} mm	Anti-microbial dustpan
AMB758	300^{W} (63 mm trim)	Sweeping broom medium texture
AMB809	457^{W} (63 mm trim)	Sweeping broom medium texture
AMPLH3	1400^{L} mm	Reinforced handle

Fletcher 2023.indd 71 02/11/2022 14:25:00

METAL DETECTABLE BRUSHWARE

Our MDX range of hygiene tools are X-ray and metal detectable, designed to minimise the risk of foreign object contamination in the food industry.

Choose between:

» **Total MDX - Dark blue / black only. All parts of Total MDX products are metal detectable**

» **Colour MDX - Coloured handles and black bristle. Colour MDX have detectable filaments only**



B861MDX



D4MDX



D9MDX



NA4MDX



MBK15MDX

Code - Total MDX	Code - Colour MDX	Description	Dimensions	Bristle Material
B861MDX	C/B681MDX	MDX Banister Brush	317^{L} x 38^{W} x 135^{H} mm	57 mm Soft
D4MDX	C/D4MDX	MDX Short Handled Brush	235^{L} x 103^{W} x 140^{H} mm	44 mm Stiff
D9MDX	C/D9MDX	MDX Long Handled Brush	405^{L} x 53^{W} x 155^{H} mm	40 mm Stiff
NA4MDX	N/A	MDX Nail Brush	122^{L} x 44^{W} x 33^{H} mm	17 mm Stiff
MBK15MDX	N/A	MDX Bucket	290D x 308H mm	N/A

Tel: 01933 440 446 sales@fletchereuropean.co.uk

Fletcher 2023.indd 72 02/11/2022 14:25:01

METAL DETECTABLE PRODUCTS

The Detectable Hygiene Range has been specifically developed for the food processing industry. The products in this range are all produced from a specially formulated material based on high impact, food contact approved, polypropylene. This material has the ability to be detected and rejected by typical metal detection machines used in the food processing industry.




HD40


HD41


HD42


HD44


HD11


HD12


HD13


HD14


HD01


HD51



MDMSC22


Detectable Pens


HD80


HD81


HD75


HD70

Code	Dimensions	Description
HD40	110^{W} x 150^{D} x 250^{L} mm	Small hand scoop
HD41	138^{W} x 187^{D} x 310^{L} mm	Medium hand scoop
HD42	167^{W} x 230^{D} x 355^{L} mm	Large hand scoop
HD44	220^{W} x 80^{D} x 360^{L} mm	Round bowl scoop
HD11	75^{W} x 205^{L} mm	Scraper (3")
HD12	100^{W} x 250^{L} mm	Scraper (4")
HD13	150^{W} x 97^{L} mm	Small flexi scraper
HD14	230^{W} x 118^{L} mm	Large flexi scraper

Code	Dimensions	Description
HD01	242^{L} x 264^{W} x 478^{H} mm	Detectable hand shovel
HD51	39^{W} x 12^{D} x 421^{L} mm	Universal stirrer with hanger
MDMSC22	120^{L} x 100^{W} mm	Flexible stainless steel scraper
HD80	1200^{L} mm	Detectable paddle
HD81	1200^{L} mm	Detectable paddle
HD75	247^{L} x 315^{W} x 978^{H} mm	Detectable shovel
HD70	334^{L} x 410^{W} x 1035^{H} mm	Detectable shovel

» For detectable pens call to discuss options.

www.fletchereuropean.co.uk

Fletcher 2023.indd 73 02/11/2022 14:25:12

Our range of cleaning tools are manufactured in the UK, offering a comprehensive and innovative range of high quality products well suited to use within food production sites. All products are manufactured using FDA/EU approved materials, are totally colour coded, heat and chemical resistant, incredibly durable, are easy to clean and feature ergonomic product design.

CLASSIC OR RESIN SET BRUSHES?

Many of our brushes are available with a choice of classic bristle retention or resin set. The difference refers to how the bristles or filaments are held into the brush back:

CLASSIC: Tufts of bristles are threaded into holes in the brush back and held in place using stainless steel staples within the brush back.

RESIN SET: The resin set option offers a dual retention system, the bristles are held in place with a stainless steel staple and an antimicrobial resin, which fills the tuft holes and brush back. This not only prevents the build-up of dirt and bacteria in the tuft areas, but also the release of filaments which could pose a risk in food production environments.

CLASSIC AND RESIN BRUSHES



Code (Classic)	Code (Resin)	Description	Dimensions	Bristle Material
B861	B861RES	Banister Brush Soft	310^{L} x 37^{W} x 135^{H} mm	Soft
B864	B864RES	Banister Bush Medium	330^{L} x 52^{W} x 135^{H} mm	Medium
B862	B862RES	Banister Brush Stiff	325^{L} x 38^{W} x 135^{H} mm	Stiff
D5	D5RES	Short Handled Brush Soft	240^{L} x 100^{W} x 135^{H} mm	44 mm Soft
D7	N/A	Short Handled Brush Medium	260^{L} x 69^{W} x 128^{H} mm	35 mm Medium
D4	D4RES	Short Handled Brush Stiff	230^{L} x 110^{W} x 150^{H} mm	44 mm Stiff

Tel: 01933 440 446 sales@fletchereuropean.co.uk

Fletcher 2023.indd 74 02/11/2022 14:25:13























Code (Classic)	Code (Resin)	Description	Dimensions	Bristle Material
B884	B884RES	Utility Brush Medium	275 x 47 x 85 mm	24 mm Medium
D10	D10RES	Long handled Brush Medium	410 x 51 x 145 mm	40 mm Stiff
D9	D9RES	Long handled brush Stiff	403 x 51 x 132 mm	40 mm Stiff
NA4	NA4RES	Nail Brush	122 x 44 x 31 mm	17 mm Stiff
ST5	ST5RES	Double Wing Scrub	208 x 64 x 56 mm	35 / 27 mm Dual Stiff
ST9	ST9RES	Round Scrub	115 x 115 x 103 mm	40 mm Stiff
B1241	B1241RES	Niche Brush	178 x 12 x 55 mm	14 mm Medium
B1240	N/A	Niche Brush	178 x 13 x 54 mm	14 mm Stainless Steel
B1606	N/A	Detail Brush	224 x 21 x 60 mm	17 mm Stiff
WS6S	WS6SRES	Wire Scratch Brush	276 x 35 x51 mm	30 mm Stainless Steel
N/A	B1423RES	Guarded Machine Brush	550 x 20 mm	60 mm Medium

Fletcher 2023.indd 75 02/11/2022 14:25:13

CLASSIC AND RESIN BRUSHES























Code (Classic)	Code (Resin)	Description	Dimensions	Bristle Material
B929	B929RES	9" Sweeping Broom Medium	232^{L} x 50^{W} x 128^{H} mm	63 mm Medium
B928	B928RES	9" Deck Scrub	232^{L} x 50^{W} x 104^{H} mm	38 mm Stiff
B1342	B1342RES	9" Deck Scrub SS	233^{L} x 50^{W} x 95^{H} mm	26 mm Stainless Steel
B1731	N/A	11" Broom Soft	280^{L} x 58^{W} x 108^{H} mm	55 mm Soft
B1732	N/A	11" Broom Medium	280^{L} x 59^{W} x 110^{H} mm	55 mm Medium
B1745	N/A	11" Broom Stiff	281^{L} x 59^{W} x 92^{H} mm	55 mm Extra Stiff
B849	B849RES	12" Broom Soft	300^{L} x 75^{W} x 124^{H} mm	63 mm Soft
B758	B758RES	12" Broom Medium	300^{L} x 75^{W} x 127^{H} mm	63 mm Medium
B770	B770RES	12" Deck Scrub	299^{L} x 75^{W} x 107^{H} mm	44 mm Stiff
B809	B809RES	18" Broom Medium	455^{L} x 76^{W} x 112^{H} mm	63 mm Medium
B994	B994RES	18" Broom Stiff	455^{L} x 76^{W} x 113^{H} mm	63 mm Stiff

Tel: 01933 440 446 sales@fletchereuropean.co.uk

Fletcher 2023.indd 76 02/11/2022 14:25:14











Code (Classic)	Code (Resin)	Description	Dimensions	Bristle Material
B1760	N/A	20" Broom Soft	503^{L} x 59^{W} x 116^{H} mm	63 mm Soft
B1657	N/A	20" Broom Medium	505^{L} x 58^{W} x 117^{H} mm	63 mm Medium
B1786	N/A	20" Broom Stiff	502^{L} x 59^{W} x 111^{H} mm	63 mm Stiff
B1134	B1134RES	24" Broom Soft	595^{L} x 74^{W} x 122^{H} mm	57 mm Soft
B883	B883RES	24" Broom Medium	600^{L} x 75^{W} x 145^{H} mm	82 mm Medium

GLAZING BRUSHES








Code	Description	Texture	Dimensions	Bristle Material
GL11	Glazing brush	Soft	210^{L} x 51^{W} x 15^{H} mm	0.20 mm polyester
GL30	Glazing brush	Soft	195^{L} x 27^{W} x 11^{H} mm	0.20 mm polyester
GL31	Glazing brush	Soft	214^{L} x 75^{W} x 17^{H} mm	0.20 mm polyester

STAINLESS STEEL WIRE BRUSHES

» A range of twisted-in wire brushes using stainless steel wire and colour-coded filaments.

» Can be used for applying, pushing, removing, cleaning, spreading or deburring.



Code	Description	Texture	Dimensions	Bristle Material
T831	Twisted-in stainless steel wire brush	Medium	375^{L} x 26^{W} x 26^{H} mm	0.30 mm crimped polyester
T832	Twisted-in stainless steel wire brush	Medium	375^{L} x 26^{W} x 26^{H} mm	0.40 mm polyester
T833	Twisted-in stainless steel wire brush	Medium	388^{L} x 37^{W} x 37^{H} mm	0.40 mm polyester
T834	Twisted-in stainless steel wire brush	Medium	400^{L} x 50^{W} x 50^{H} mm	0.60 mm polyester
T835	Twisted-in stainless steel wire brush	Medium	444^{L} x 64^{W} x 64^{H} mm	0.60 mm polyester

PLASTIC CORE TUBE BRUSHES

» Ideal for cleaning piping, tubing and drainage, they can be fitted to any of our threaded handles.

» Available in 5 colours to aid HACCP compliance.





Code	Description	Texture	Dimensions	Bristle Material
B1529/75	Plastic core tube brush	Medium	190^{L} x 76^{W} x 76^{H} mm	0.45 mm crimped polyester
B1529/115	Plastic core tube brush	Medium	203^{L} x 116^{W} x 114^{H} mm	0.60 mm polyester


Tel: 01933 440 446 sales@fletchereuropean.co.uk

Fletcher 2023.indd 78 02/11/2022 14:25:14


PADDLES & SHOVELS




















Code	Dimensions	Description
LP01	125^{L} x 290^{W} x 1190^{H} mm	Moulded one-piece paddle
LP02	125^{L} x 290^{W} x 1190^{H} mm	Moulded one-piece paddle
HW105	125^{L} x 290^{W} x 1760^{H} mm	Long handled paddle
NY105	125^{L} x 290^{W} x 1760^{H} mm	Heat resistant paddle

Code	Dimensions	Description
PSH13	247^{L} x 315^{W} x 978^{H} mm	Long handled shovel
PSH6	334^{L} x 410^{W} x 1035^{H} mm	Long handled shovel
FD95	320^{L} x 320^{W} x 1075^{H} mm	Sieving shovel
MSC1	200^{L} x 1300^{H} mm	Stainless steel blade with aluminium handle

WATERFLOW HANDLES



*All handles must have the 'W/STOP' product for waterflow use.

Code	Dimensions	Handle Material	Description	Temperature Tolerance
ALH17	690^{H} x 25^{D} mm	Aluminium	Fixed length	-18°C to 79°C
ALH18	1350^{H} x 25^{D} mm	Aluminium	Fixed extension length with polypropylene grips	-18°C to 79°C
WFPLH3	1400^{H} x 25^{D} mm	Polypropylene	Fixed length	-18°C to 79°C
WFPLH3EX	1700-2800^{H} x 25^{D} mm	Polypropylene	Extendable length	-18°C to 79°C

» Waterflow handles are purposely designed to help with the cleaning process of food preparation areas.

» Our range offers a choice of handle material in the form of aluminium or polypropylene.

» We also provide fixed or extendable length handles depending on your needs.

» One handle end connects easily to a hosepipe and the other to one of the interchangeable brush heads.

» Once fitted the device allows the user to control the flow of water from the hosepipe, through the handle and then out through the brush onto the surface receiving treatment.

Tel: 01933 440 446
sales@fletchereuropean.co.uk

Fletcher 2023.indd 80 02/11/2022 14:25:19


WATERFLOW BRUSHWARE

» Waterflow brushware is an excellent choice when it comes to wet cleaning your facilities.

» The brushes are designed to allow a regulated supply of water between their filaments and onto the contact area.







Code (Classic)	Code (Resin)	Dimensions	Bristle Strength	Description	Temperature Tolerance
B1056	N/A	275^{L} x 70^{H} mm	Soft	Ideal for cleaning walls and vehicles	-18°C to 79°C
D77	D77RES	216^{H} x 59^{D} mm	Medium	Ideal for cleaning tanks, vats and gullies	-18°C to 79°C
D79	D79RES	216^{H} x 59^{D} mm	Stiff	Ideal for cleaning tanks, vats and gullies	-18°C to 79°C

WATERFLOW ACCESSORIES



W/STOP - Water Stop Connector



WH/CON - Waterflow Handle Connector

Code	Description
W/STOP	For preventing water wastage and required for use with all waterflow handles
WH/CON	For joining handle extensions together

www.fletchereuropean.co.uk

Fletcher 2023.indd 81 02/11/2022 14:25:20

MOPS AND SQUEEGEES

» Full range of colour options.

» Choose from a wide selection of handle options.

» Suitable for food industry applications.

» Ask about our hygiene essential range.



MOP10/130

5 Colour Options



KMOP11

5 Colour Options



PLSB30

7 Colour Options



PLSB40

5 Colour Options



PLSB50

5 Colour Options



PLSB60

10 Colour Options



1005MB

4 Colour Options



MBK7

5 Colour Options

Code	Description	Pack Qty
MOP10/130	450 g looped hygiene polyester mop	10
KMOP11	340 g Bio mop	5
1005MB	25 litre Kentucky bucket and wringer on wheels	1
PLSB30	300 mm overmoulded squeegee	6
PLSB40	400 mm overmoulded squeegee	6
PLSB50	500 mm overmoulded squeegee	6
PLSB60	600 mm overmoulded squeegee	6

Code	MBK7
Dimensions	270^{W} x 260^{D} x 285^{H} mm
Details	To suit up to 300g mops
Capacity	15 litres
Handle finish	Plastic
Dolly code	On application


Tel: 01933 440 446

sales@fletchereuropean.co.uk

Fletcher 2023.indd 82 02/11/2022 14:25:23

HYGIENIC HANDLES




















Code	Description	Material
ALH30	340 mm handle	Aluminium with polypropylene trim
ALH15	700 mm handle	Aluminium with polypropylene trim
ALH5	1270 mm handle	Aluminium with polypropylene trim
ALH7	1360 mm handle	Aluminium with polypropylene trim

Code	Description	Material
ALH8	1500 mm handle	Aluminium with polypropylene trim
ALH27	1380 mm handle	Aluminium with polypropylene trim
SSH2	1350 mm handle	Stainless Steel with polypropylene trim
SSH4	1550 mm handle	Stainless Steel with polypropylene trim

Fletcher 2023.indd 83 02/11/2022 14:25:26

MOBILE SPILL KITS

» This range contains a variety of products aimed to combat spillages quickly and effectively.

» Can be applied to three main types of spills - oil and fuel, non-aggressive liquids and aggressive chemicals.

» Absorbents in the different spill kits are each to their own specification and colour coded accordingly

» Each kit comes housed in a bright yellow wheelie bin.

» Refill kits are available on request.

» Kits come with absorbing pads, cushions and socks as well as barrier tape, disposable gloves, goggles and disposable bags with ties.

» Oil and Fuel spill kits should be used outside or where selective recovery of oil from water is required.

» Maintenance spill kits are ideal for industrial spills including oil, solvents, coolants and mild chemicals.

» Chemical spill kits should be used on aggressive chemicals spills such as acids or alkalis.



Kit Capacity (Absorption)	Oil and Fuel Kit	Non-Aggressive Liquids Kit	Aggressive Chemicals Kit
80 litre	SPK80F	SPK80M	SPK80C
120 litre	SPK120F	SPK120M	SPK120C
240 litre	SPK240F	SPK240M	SPK240C
360 litre	SPK360F	SPK360M	SPK360C

Tel: 01933 440 446
sales@fletchereuropean.co.uk

Fletcher 2023.indd 84 02/11/2022 14:25:26

RETRACTABLE BARRIERS

» Cost effective temporary barrier system.

» Can be easily and promptly installed to form an instant guide for employees, customers or visitors.

RB/GP - GENERAL PURPOSE

» Plastic post with 4-way connectivity barriers.

» Hard wearing cast iron base.

» Constant torque webbing retraction.

RB/HD - HEAVY DUTY

» Detachable plastic post mounted on a recycled rubber stackable base.

» Constant torque webbing retraction.



Code	Dimensions	Webbing Length
RB/GP	955^{H} x 354^{D} mm	2300 mm
RB/HD	975^{H} x 483^{D} mm	3650 mm

*Barriers are sold individually but require pairing in order to connect webbing.

WARNING SIGNS



Code	Description
8613	Sign only. No wording or picture
8614GB	CAUTION WET FLOOR. With slipping man on both sides
8617GB	CAUTION TRIP HAZARD. With tripping man on both sides
8620GB	CLEANING IN PROGRESS. With '!' on both sides

» Signs available in different languages on request

Fletcher 2023.indd 85 02/11/2022 14:25:28


HANGERS AND ACCESSORIES


» A range of hygienic designs to store different types of equipment.

» Available in a choice of colours.


» Ready made solutions or buy individual component parts.

» All our hanger options can be used on our bespoke Shadow Boards.



















Code	Description
HD6	515 mm Anodised aluminium rail with 5 HOLD1 hangers and coloured ends
HD7	515 mm Anodised aluminium rail with 3 HOLD2 shovel hangers and coloured ends
RAIL500	500 mm rail with end plugs
WLBR1	206 mm Wall bracket system (holds up to 4 products)
HOLD1	For standard 20 - 30 mm diameter handles
HOLD2	For large 30 - 40 mm diameter handles
HDHOOK1	Plastic hook to fit RAIL500 & 900
SSHOOK	Stainless Steel Hook - Hygenic design
SSANG1	Stainless steel Hanger with 3 hooks - 310 x 75 mm

Tel: 01933 440 446 sales@fletchereuropean.co.uk

Fletcher 2023.indd 86 02/11/2022 14:25:31

SHADOW BOARDS

Our bespoke Shadow Boards enable companies and businesses to segregate workplace cleaning equipment. This allows the monitoring of quality and whereabouts of each product which helps to avoid any cross contamination - vitally importantly in food service and processing environments.


- » Totally bespoke, made to suit your needs.
- » Fast turnaround and competitive prices.
- » Compact, hygienic and easy to clean.


PLASTIC FOAMEX

- » 5 mm wall mounted boards are lightweight and easy to clean.
- » They serve as an excellent cost effective option when it comes to equipment management.

ALUMINIUM COMPOSITE

- » A much stronger option, 3 mm thick Aluminium shadow boards are a high quality product and well suited to industrial environments.





www.fletchereuropean.co.uk

Fletcher 2023.indd 87 02/11/2022 14:25:31

STAINLESS STEEL SUNDRIES

Solid Handle Scoops



Code	Capacity	Dimensions
SC10SH	100 ml	180^{L} x 50^{D} mm
SC50SH	500 ml	240^{L} x 95^{D} mm
SC75SH	750 ml	330^{L} x 95^{D} mm

Loop Handle Scoops



Code	Capacity	Dimensions
SSSC1	400 ml	75 x 260 x 145 mm
SSSC2	850 ml	105 x 330 x 150 mm
SSSC3	1.45 litres	125 x 360 x 230 mm
SSSC4	2.3 litres	150 x 390 x 250 mm

SCB1



Code	Description
SCB1	A4 Clipboard

Stainless Jugs



Code	Capacity	Dimensions
SSJ1	1.3 litres	120 x 120 mm
SSJ2	2.1 litres	140 x 140 mm
SSJ3	3.2 litres	160 x 160 mm
SSJ5	5 litres	200 x 200 mm

Scrapers



Code	Dimensions
SPO1SS	37^{W} x 125^{L} mm
SPO2SS	75^{W} x 125^{L} mm

FACSS525



Code	Description	Dimensions
FACSS525	First aid cabinet	500^{L} x 200^{W} x 500^{H} mm

SH50



Code	Description	Dimensions
SH50	Shovel	180^{H} x 290^{W} x 1010^{L} mm

PB1



PB3



Code	Description	Features
PB1	Ring only waste bag holder	Lift lid
PB3	Ring only waste bag holder	Foot operated lift lid

Tel: 01933 440 446

sales@fletchereuropean.co.uk

Fletcher 2023.indd 88 02/11/2022 14:25:34

STAINLESS STEEL TABLES



Write Up Desk

» Square write up desk - ideal for small areas where note taking is required.

» Sloped top provides comfort when writing and reading.

» Adjustable feet can make this table level on any uneven surface.

Code	Dimensions
SSWD661	600^{L} x 600^{W} x 1000^{H} mm

» Table top is made from 304 grade stainless steel completed with galvanised legs. Ideal for demanding kitchens and food preparation areas.

» Comes without an upstand, allowing it to be used in the centre of rooms for access from all angles.

» Height adjustable undershelf that provides practical storage space for just about anything you need to store.

Code	Dimensions
ST990	900^{L} x 600^{W} x 900^{H} mm
ST1290	1200^{L} x 600^{W} x 900^{H} mm



Cater Table



Eco Stainless Table

» Fully 304 grade stainless steel, the ST985 and ST1285 centre benches are great cost effective tables.

» Made with 30 x 30 mm single bar underframe for support and strength.

» Adjustable feet come as standard to help adjust the level.

Code	Dimensions
ST985	900^{L} x 600^{W} x 850^{H} mm
ST1285	1200^{L} x 600^{W} x 850^{H} mm

» Bespoke table manufactured from 304 grade stainless steel. Made to any size and any requirements.

» High quality product which is suitable for any hygiene sensitive environment.

» Optional cutting board tops can be fitted.

» Choice of static or wheeled feet.

Code	Dimensions
SST - Standard	2440^{L} x 610^{W} x 864^{H} mm
SST - Custom	Can be made to any size



Professional Stainless Table

www.fletchereuropean.co.uk

Fletcher 2023.indd 89 02/11/2022 14:25:35

ZINC PLATED SHELVING

» An economic storage solution ideal for dry environments.





Zinc Plated Racks with Wire Shelving

Code	Dimensions	Shelves	Weight Limit
ZP906017W	900^{L} x 600^{D} x 1700^{H} mm	4	190 kg per shelf/500 kg per bay
ZP906022W	900^{L} x 600^{D} x 2200^{H} mm	5	190 kg per shelf/500 kg per bay
ZP126017W	1200^{L} x 600^{D} x 1700^{H} mm	4	175 kg per shelf/500 kg per bay
ZP126022W	1200^{L} x 600^{D} x 2200^{H} mm	5	175 kg per shelf/500 kg per bay
ZP156017W	1500^{L} x 600^{D} x 1700^{H} mm	4	150 kg per shelf/500 kg per bay
ZP156022W	1500^{L} x 600^{D} x 2200^{H} mm	5	150 kg per shelf/500 kg per bay

Zinc Plated Racks with Solid Shelving

Code	Dimensions	Shelves	Weight Limit
ZP906017S	900^{L} x 600^{D} x 1700^{H} mm	4	190 kg per shelf/500 kg per bay
ZP906022S	900^{L} x 600^{D} x 2200^{H} mm	5	190 kg per shelf/500 kg per bay
ZP126017S	1200^{L} x 600^{D} x 1700^{H} mm	4	175 kg per shelf/500 kg per bay
ZP126022S	1200^{L} x 600^{D} x 2200^{H} mm	5	175 kg per shelf/500 kg per bay
ZP156017S	1500^{L} x 600^{D} x 1700^{H} mm	4	150 kg per shelf/500 kg per bay
ZP156022S	1500^{L} x 600^{D} x 2200^{H} mm	5	150 kg per shelf/500 kg per bay

STAINLESS STEEL SHELVING

The perfect storage solution for a cold store or wet environment.





Stainless Racks with Wire Shelving

Code	Dimensions	Shelves	Weight Limit
SS904517W	900^{L} x 450^{D} x 1700^{H} mm	4	190 kg per shelf/500 kg per bay
SS904522W	900^{L} x 450^{D} x 2200^{H} mm	5	190 kg per shelf/500 kg per bay
SS124517W	1200^{L} x 450^{D} x 1700^{H} mm	4	175 kg per shelf/500 kg per bay
SS124522W	1200^{L} x 450^{D} x 2200^{H} mm	5	175 kg per shelf/500 kg per bay
SS154517W	1500^{L} x 450^{D} x 1700^{H} mm	4	150 kg per shelf/500 kg per bay
SS154522W	1500^{L} x 450^{D} x 2200^{H} mm	5	150 kg per shelf/500 kg per bay

Stainless Racks with Solid Shelving

Code	Dimensions	Shelves	Weight Limit
SS126017S	1200^{L} x 600^{D} x 1700^{H} mm	4	150 kg per shelf/500 kg per bay
SS126022S	1200^{L} x 600^{D} x 2200^{H} mm	5	150 kg per shelf/500 kg per bay
SS154517S	1500^{L} x 450^{D} x 1700^{H} mm	4	125 kg per shelf/500 kg per bay
SS154522S	1500^{L} x 450^{D} x 2200^{H} mm	5	125 kg per shelf/500 kg per bay
SS156017S	1500^{L} x 600^{D} x 1700^{H} mm	4	125 kg per shelf/500 kg per bay
SS156022S	1500^{L} x 600^{D} x 2200^{H} mm	5	125 kg per shelf/500 kg per bay

PLASTIC SHELVING

- » Fully hygienic plastic racking offers excellent storage facilities.
- » Plastic designs, easily dismantled and rebuilt in different ways to offer flexible storage.
- » All static racks can be made mobile, though this can make larger units less stable.
- » Designs can easily grow with your storage requirements.
- » Racks can be made static or mobile, fitted with stainless castors or braked options.
- » Other sizes available on request. Can be made to fit corners if required.



Single Racks

Product	Dimensions mm W x D x H	Shelves
104425S	1000 x 400 x 1080	4
104435S	1000 x 400 x 1380	4*
105425S	1000 x 500 x 1080	4
105435S	1000 x 500 x 1380	4*
104525S	1000 x 400 x 1380	5
104535S	1000 x 400 x 1780	5*
105525S	1000 x 500 x 1380	5
105535S	1000 x 500 x 1780	5*

Gaps between shelves are 250 mm except *350 mm



Double Racks

Product	Dimensions mm W x D x H	Shelves
154425S	1500 x 400 x 1080	4
154435S	1500 x 400 x 1380	4*
155425S	1500 x 500 x 1080	4
155435S	1500 x 500 x 1380	4*
154525S	1500 x 400 x 1380	5
154535S	1500 x 400 x 1780	5*
155525S	1500 x 500 x 1380	5
155535S	1500 x 500 x 1780	5*
204425S	2000 x 400 x 1080	4
204435S	2000 x 400 x 1380	4*
205425S	2000 x 500 x 1080	4
205435S	2000 x 500 x 1380	4*
204525S	2000 x 400 x 1380	5
204535S	2000 x 400 x 1780	5*
205525S	2000 x 500 x 1380	5
205535S	2000 x 500 x 1780	5*



Platform Racks

Product	Dimensions mm W x D x H
PL15/4	1500 x 400 x 170
PL20/4	2000 x 400 x 170
PL15/5	1500 x 500 x 170
PL20/5	2000 x 500 x 170

Tel: 01933 440 446

sales@fletchereuropean.co.uk

Fletcher 2023.indd 92 02/11/2022 14:25:40

» Can be custom made to suit any tray and incorporate special features such as chopping board tops and braked castors.

» Red caps come as standard on some products.





Single Mobile Bay Racks

Product	No. of Levels
MRS4	4
MRS6	6
MRS8	8
MRS10	10
MRS12	12

» To suit containers sizes 600 x 400 mm and trays 762 x 457 mm (30" x 18").

» For any tray depth within safe working heights. Ring for advice and sizes.

Double Mobile Bay Racks

Product	No. of Levels
MRD6	3 (6 boxes)
MRD8	4 (8 boxes)
MRD10	5 (10 boxes)
MRD14	7 (14 boxes)
MRD20	10 (20 trays)

» Prices for boxes and trays on request.

» All details as single trolleys but fitted with 6 swivel castors not 4 where required.



Mobile Racks

Product	Dimensions mm W x D x H	Shelves
105525M	1000 x 500 x 1430	5
105535M	1000 x 500 x 1830	5*
155525M	1500 x 500 x 1430	5
155535M	1500 x 500 x 1830	5*
Gaps between shelves are 250 mm except *350 mm Castors: 100 mm diameter nylon swivels		

Fletcher 2023.indd 93 02/11/2022 14:25:40

CHANGING ROOM BENCHES

Plastic Bench Seating

Code	Dimensions	Leg Posts
PB10	400^{L} x 1000^{W} x 450^{H} mm	2
PB12	400^{L} x 1200^{W} x 450^{H} mm	2
PB15	400^{L} x 1500^{W} x 450^{H} mm	3
PB18	400^{L} x 1800^{W} x 450^{H} mm	3
PB20	400^{L} x 2000^{W} x 450^{H} mm	3



» Made from all plastic material, these benches will not rust or corrode and are ideal for damp and wet environments.

» They are flat-packed to allow for quick assembly of the feet, stability tube and shelving.

Single Side Changing

Code	Dimensions	Leg Posts	Hooks
CBS10	570^{L} x 1000^{W} x 1800^{H} mm	2	4
CBS12	570^{L} x 1200^{W} x 1800^{H} mm	2	4
CBS15	570^{L} x 1500^{W} x 1800^{H} mm	3	8
CBS18	570^{L} x 1800^{W} x 1800^{H} mm	3	8
CBS20	570^{L} x 2000^{W} x 1800^{H} mm	3	8



» Clever design allows for a strong structure while remaining lightweight and easy to move.

» Smooth 'splinter free' surface prevents the catching of objects and skin, while at the same time is easy to clean.

Double Side Changing

Code	Dimensions	Leg Posts	Hooks
CBD10	850^{L} x 1000^{W} x 1800^{H} mm	2	4
CBD12	850^{L} x 1200^{W} x 1800^{H} mm	2	4
CBD15	850^{L} x 1500^{W} x 1800^{H} mm	3	8
CBD18	850^{L} x 1800^{W} x 1800^{H} mm	3	8
CBD20	850^{L} x 2000^{W} x 1800^{H} mm	3	8



FLOOR MATTING

TMAT01

Dimensions	Sold As
600^{L} x 910^{W} x 14^{H} mm	Floor Tile



» Heavy duty deck-top surface with impact absorbing base foam and an embossed surface.


» Anti-fatigue mat with a foam layer providing comfort.

» Checker plate layer gives improved traction while reducing abrasion and punctures.

» Ideal for dry commercial and workplace environments where standing is part of work function.

GMAT01

Dimensions	Sold As
5000^{L} x 600^{W} x 15^{H} mm	Roll



» Animal fat and oil resisting matting developed for food processing and preparation industries.


» Wide spaced open grid format allows waste spillages to escape to keep the standing area free of slippery and hazardous matter.

» Easy to roll up and remove for cleaning processes.

» Anti-bacterial and anti-fungal additives ensure continued hygienic performance.

RM201

Dimensions	Sold As
5000^{L} x 910^{W} x 6^{H} mm	Roll



» Light, economical, comfortable and soft under foot.

» Simple to roll for cleaning purposes and ideal for bar and catering areas where spillage may occur.

» Slip resistant surface and open grid design for effective liquid drainage.

» Insulates against cold and hard floors and reduces standing fatigue.

RM301

Dimensions	Sold As
5000^{L} x 910^{W} x 15^{H} mm	Roll



» The ultimate slip resistant matting solution and the best heavy duty matting available.

» Certified high slip resistance DIN 51130 - R11 meets the highest international standards.

» Top liquid drainage rating and is chemical, oil and acid resistant.

» Hygienic, easy to clean and provides excellent cushioning, thermal and noise reducing properties.

www.fletchereuropean.co.uk

Fletcher 2023.indd 95 02/11/2022 14:25:44

SUPERTUFF PLASTIC LOCKERS

» Strong lockers moulded from polyethylene which will not dent like traditional steel lockers.

» Hard wearing material will not rust or corrode.

» Washable and easy to maintain.

» Water resistant material so can be used outside under cover.

» Locker backs are grey as standard, other colours are available.

» A wide choice of colours can be manufactured if required.

» Anti-theft, with a double locking design.

» Supplied as standard with padlockable or key operated locks.

» Sloping top available to prevent the build up of rubbish.

» Metal stands available to raise lockers from floor level.

» Fixings supplied to hold lockers securely together.



Code	External Dimensions
LK01	320^{W} x 460^{D} x 450^{H} mm
LK02	320^{W} x 460^{D} x 600^{H} mm
LK03	320^{W} x 460^{D} x 900^{H} mm









Accessories

Code	Description
CRLOCK1	Coin return lock
CRLOCK2	Coin return lock - Wet areas
CHOOK1	Coat hook
KLOCK01	Key Lock
PLOCK01	Padlock





Tel: 01933 440 446
sales@fletchereuropean.co.uk

Fletcher 2023.indd 96 02/11/2022 14:25:46



1800 mm high locker combinations:

» 4 x LK01

» 3 x LK02

» 2 x LK03





Code	Description	Material	External Dimensions
STAND2	Fits two abreast lockers	Galvanised or Stainless	640^{W} x 465^{D} x 147-176^{H} mm
STAND3	Fits three abreast lockers	Galvanised or Stainless	960^{W} x 465^{D} x 147-176^{H} mm
STAND4	Fits four abreast lockers	Galvanised or Stainless	1280^{W} x 465^{D} x 147-176^{H} mm
LKST01	Sloping top	Polyethylene	150^{H} mm

www.fletchereuropean.co.uk

Fletcher 2023.indd 97 02/11/2022 14:25:49

STEEL LOCKERS

Steel lockers offer secure storage for staff possessions or equipment. Available in a range of sizes with a choice of accessories.

- » Supplied with a choice of lock options.
- » Available in a range of colours.
- » Sloping tops and stands available.
- » Manufactured in the UK.
- » Airflow venting system.
- » Contains sustainably sourced "Abbey steel".
- » Steel is powder coated.





Code	Description	External Dimensions	Sloping Top Code
LKS1A	Single compartment steel locker	300^{W} x 300^{D} x 1800^{H} mm	LKSST
LKS1B	Single compartment steel locker	300^{W} x 450^{D} x 1800^{H} mm	LKSST2
LKS2A	2 compartment steel locker	300^{W} x 300^{D} x 1800^{H} mm	LKSST
LKS2B	2 Compartment steel locker	300^{W} x 450^{D} x 1800^{H} mm	LKSST2
LKS3A	3 Compartment steel locker	300^{W} x 300^{D} x 1800^{H} mm	LKSST
LKS3B	3 Compartment steel locker	300^{W} x 450^{D} x 1800^{H} mm	LKSST2
LKS4A	4 Compartment steel locker	300^{W} x 300^{D} x 1800^{H} mm	LKSST
LKS4B	4 Compartment steel locker	300^{W} x 450^{D} x 1800^{H} mm	LKSST2
LKS5A	5 Compartment steel locker	300^{W} x 300^{D} x 1800^{H} mm	LKSST
LKS5B	5 Compartment steel locker	300^{W} x 450^{D} x 1800^{H} mm	LKSST2
LKS6A	6 Compartment steel locker	300^{W} x 300^{D} x 1800^{H} mm	LKSST
LKS6B	6 Compartment steel locker	300^{W} x 450^{D} x 1800^{H} mm	LKSST2
LKS8A	8 Compartment steel locker	300^{W} x 300^{D} x 1800^{H} mm	LKSST
LKS8B	8 Compartment steel locker	300^{W} x 450^{D} x 1800^{H} mm	LKSST2



Tel: 01933 440 446
sales@fletchereuropean.co.uk

Fletcher 2023.indd 98 02/11/2022 14:25:51

Steel garment collection and dispense lockers, designed for easy collection, storage and dispense of PPE in changing areas.

» **Tidy collection and storage of laundry items.**

» **Full height service door on dispense units to speed up filling process.**

» **Antibacterial powder coated finish.**

Code	Description	External Dimensions	Doors
GLKC1	Garment collection locker	381^{W} x 457^{D} x 1800^{H} mm	1
GLK5	Garment dispense locker	381^{W} x 457^{D} x 1830^{H} mm	5
GLK10	Garment dispense locker	381^{W} x 457^{D} x 1830^{H} mm	10
GLK15	Garment dispense locker	381^{W} x 457^{D} x 1830^{H} mm	15


GLKC1


GLK5


GLK10


GLK15

SMALL POSSESSION LOCKERS

» **Ideal for the storage of small personal possessions such as watches, keys, wallets and mobile phones.**



Code	Description	External Dimensions	Doors
SPLK4	Personal effects locker	250^{W} x 160^{D} x 920^{H} mm	4
SPLK8	Personal effects locker	250^{W} x 160^{D} x 920^{H} mm	8
SPLK4ST	Personal effects locker with sloping top	250^{W} x 160^{D} x 990^{H} mm	4
SPLK8ST	Personal effects locker with sloping top	250^{W} x 160^{D} x 990^{H} mm	8


SPLK4


SPLK8ST

Fletcher 2023.indd 99 02/11/2022 14:25:52



FIRST AID CABINETS

» Easily identifiable storage for First Aid supplies and equipment.

» Durable powder coated finish with clear identification labelling.

» Wall cabinets feature draw trays, are pre-drilled for fixing and are supplied with lock and 2 keys.

» Floor standing cabinets have pitch adjustable shelves and lever lock handles with top and bottom locking rods.

Code	Description	Dimensions	Shelves
FAC10	Floor cabinet	915^{H} x 457^{W} x 457^{D} mm	1
FAC60	Double door floor cabinet	915^{H} x 915^{W} x 457^{D} mm	2
FAC65	Medium double door floor cabinet	1220^{H} x 915^{W} x 457^{D} mm	2
FAC70	Large double door floor cabinet	1830^{H} x 915^{W} x 457^{D} mm	3
FAWC3	Wall cabinet	600^{H} x 400^{W} x 300^{D} mm	1
FAWC4	Medium wall cabinet	600^{H} x 500^{W} x 300^{D} mm	1
FAWC6	Large wall cabinet	600^{H} x 800^{W} x 300^{D} mm	1



HAZARDOUS SUBSTANCE CABINETS

» Robust metal cabinets to provide a secure storage point for chemicals.

» Made in the UK from high quality steel and then powder coated.

» Cabinet doors are reinforced and operate on a three point locking system.

Code	Description	Dimensions	Shelves
HSC04	Medium double door cabinet	1000^{H} x 915^{W} x 457^{D} mm	1 (Adjustable)
SKHSC2	Small stackable quadruple door cabinet	610^{H} x 915^{W} x 457^{D} mm	2 (Adjustable)
HSC01	Large double door cabinet	1830^{H} x 915^{W} x 457^{D} mm	3 (Adjustable)

Tel: 01933 440 446
sales@fletchereuropean.co.uk

Fletcher 2023.indd 100 02/11/2022 14:25:55



COSHH CABINETS

- Designed to securely hold small quantities of harmful substances.
- Base sumps contain any spills or leaks which may occur.
- Made in the UK from high quality steel and then powder coated.
- Complies with regulations relating to the Control of Substances Hazardous to Health (COSHH).
- Doors are reinforced to provide added security.

Code	Description	Dimensions	Shelves
MCSC3	Mini single door safety cabinet	710^{H} x 457^{W} x 305^{D} mm	1
MCSC4	Mini single door safety cabinet	610^{H} x 457^{W} x 457^{D} mm	1 (Adjustable)
CSC4	Small single door safety cabinet	910^{H} x 457^{W} x 457^{D} mm	1
CSC5	Small double door safety cabinet	710^{H} x 915^{W} x 457^{D} mm	1

PPE CABINETS

- Steel construction with powder coated finish.
- Lever lock handles with top and bottom locking rods.
- Pitch adjustable shelves.
- Supplied with 2 keys and identification labelling.
- Additional shelves available.



Code	Description	Dimensions	Shelves
PPE10	Small PPE storage cabinet	915^{H} x 457^{W} x 457^{D} mm	1
PPE60	Double door small PPE storage cabinet	915^{H} x 915^{W} x 457^{D} mm	2
PPE65	Double door medium PPE storage cabinet	1220^{H} x 915^{W} x 457^{D} mm	2
PPE70	Double door large PPE storage cabinet	1830^{H} x 915^{W} x 457^{D} mm	3

www.fletchereuropean.co.uk


Fletcher 2023.indd 101 02/11/2022 14:25:57

PLASTIC PALLETS

- » Range of sizes from 600 x 600 mm to 1200 x 1000 mm.
- » Light, medium and heavy duty options available.
- » Fully hygienic options for clean environments.
- » Range of runner and lip options to suit individual applications.


















Code	Description	External Dimensions	Dynamic	Static	Rackable
MINIPAL	Light 2 way entry hygiene pallet	600^{L} x 600^{W} x 150^{D} mm	250 kg	250 kg	Not suitable
5590	Light 6 feet nestable pallet	800^{L} x 600^{W} x 115^{D} mm	400 kg	800 kg	Not suitable
CRH2	Medium 2 way entry hygiene pallet	800^{L} x 600^{W} x 160^{D} mm	500 kg	1000 kg	Not suitable
SL1	Light 3 runner recycled pallet	1200^{L} x 800^{W} x 120^{D} mm	1000 kg	2000 kg	Not suitable
5591	Light 9 feet nestable pallet	1200^{L} x 800^{W} x 130^{D} mm	800 kg	1500 kg	Not suitable
CRD1R	Medium 3 runner recycled pallet	1200^{L} x 800^{W} x 150^{D} mm	1000 kg	5000 kg	400 kg
CRH1	Medium 3 runner hygiene pallet	1200^{L} x 800^{W} x 160^{D} mm	1250 kg	4000 kg	850 kg

Tel: 01933 440 446 sales@fletchereuropean.co.uk

Fletcher 2023.indd 102 02/11/2022 14:26:00

FE1210CD - HYGIENIC CLOSED DECK PALLET






NEW PRODUCT

4 Colour Options

» Additional colours are available as minimum order quantities.

FE1210CD



» Cost Effective.

» Features a closed top deck and full perimeter base with five runners (skids), making it ideal for heavy duty applications.

» Manufactured using food grade polyethylene (HDPE), this pallet is ideal for use in both general industry and more high care sectors like food production and pharmaceutical transportation.

» Protective lips along the sides improve safety during transportation allowing products remain in place.

» Available from stock in food grade blue, red, green, and yellow.

» Recycled Black also available.

» Can be quickly wiped down between uses and requires low levels of maintenance to keep hygienic.

Code	Description	External Dimensions	Dynamic	Static	Rackable
FE1210CD	Heavy 5 runner hygiene pallet	1200^{L} x 1000^{W} x 160^{D} mm	2500 kg	5000 kg	1250 kg

www.fletchereuropean.co.uk

Fletcher 2023.indd 103 02/11/2022 14:26:03


PLASTIC PALLETS




1855




CRD35R



CR35RL




CRH3



TC3



RMIPS12



AP12102

ALUMINIUM 2 SKID PALLET

» Other variants available on our website including 1200 mm x 800 mm and three runner pallets.

» Contact us for more information.

Code	Description	External Dimensions	Dynamic	Static	Rackable
1855	Light 9 feet nestable pallet	1200^{L} x 1000^{W} x 155^{D} mm	1000 kg	2000 kg	Not suitable
CRD35R	Heavy 5 runner recycled pallet	1200^{L} x 1000^{W} x 150^{D} mm	1000 kg	5000 kg	400 kg
CR35RL	Heavy 5 runner recycled pallet	1200^{L} x 1000^{W} x 160^{D} mm	1250 kg	5000 kg	1000 kg
CRH3	Medium 3 runner hygiene pallet	1200^{L} x 1000^{W} x 160^{D} mm	1250 kg	4000 kg	850 kg
TC3	Heavy 3 runner hygiene pallet	1200^{L} x 1000^{W} x 160^{D} mm	1500 kg	7500 kg	1250 kg
RMIPS12	Heavy 5 runner hygiene pallet	1200^{L} x 1000^{W} x 155^{D} mm	2500 kg	5000 kg	1250 kg
AP12102	2 skid aluminium pallet	1200^{L} x 1000^{W} x 150^{D} mm	Not suitable	850 kg	Not suitable

Tel: 01933 440 446

sales@fletchereuropean.co.uk

Fletcher 2023.indd 104 02/11/2022 14:26:06

COLLAPSIBLE PALLET BOXES

» Representing a great space saving storage solution.

» Collapsible pallet boxes can be folded down easily when not in use.









Code	External Dimensions	Capacity	Dynamic	Static
FLC595	1200^{L} x 1000^{W} x 595^{H} mm	439 litres	1600 kg	3000 kg
FLC750	1200^{L} x 1000^{W} x 750^{H} mm	606 litres	1600 kg	3200 kg
FLC975	1200^{L} x 1000^{W} x 975^{H} mm	847 litres	1600 kg	3200 kg

Code	External Dimensions	Internal Dimensions	Capacity	Max Load	Weight	Lid Code
FDPB1210	1200^{L} x 1000^{W} x 740^{H} mm	1120^{L} x 920^{W} x 578^{H} mm	600 litres	750 kg	40.5 kg	DL1210AL

www.fletchereuropean.co.uk

Fletcher 2023.indd 105 02/11/2022 14:26:10

PALLET BOXES

» A range of pallet boxes specially designed for the food industry.

» Robust and hygienic design, free from dirt traps.

» Integral moulded runners enable safe tipping.

» Available in a choice of colour options.

» 1200 x 1000 has three runners, 1200 x 800 version supplied with two runners.




DL1208P


5 Colour Options

» Minimum Order Quantity
Item - 300 Units

5 Colour Options

DL1208S





DL1210AP

5 Colour Options



DL1210A

5 Colour Options

Code	External Dimensions	Internal Dimensions	Capacity	Max Load	Weight	Lid Code
DL1208P	1200^{L} x 800^{W} x 740^{H} mm	1120^{L} x 720^{W} x 600^{H} mm	500 litres	500 kg	32 kg	DL1208L
DL1208S	1200^{L} x 800^{W} x 740^{H} mm	1120^{L} x 720^{W} x 600^{H} mm	500 litres	500 kg	32 kg	DL1208L
DL1210AP	1200^{L} x 1000^{W} x 740^{H} mm	1128^{L} x 928^{W} x 605^{H} mm	620 litres	900 kg	35.5 kg	DL1210AL
DL1210A	1200^{L} x 1000^{W} x 740^{H} mm	1128^{L} x 928^{W} x 605^{H} mm	620 litres	900 kg	36.5 kg	DL1210AL

Tel: 01933 440 446

sales@fletchereuropean.co.uk

Fletcher 2023.indd 106 02/11/2022 14:26:11


The Big Boxes are made of a robust, scratch-resistant plastic material. Smooth inner and outer walls ensure easy cleaning.

Standardised dimensions ensure smooth operation in storage and transport processes.

- **Stackable with lid.**
- **Superimposed load 4 tonnes.**
- **In standard ISO dimensions.**
- **Available with feet, skids or wheels.**



BP1210GR



BP1210P



BP1210C



ECO1210

Code	External Dimensions	Internal Dimensions	Capacity	Max Load	Weight	Lid Code
BP1210GR	1200^{L} x 1000^{W} x 760^{H} mm	1110^{L} x 910^{W} x 610^{H} mm	610 litres	500 kg	41 kg	BP1210L
BP1210P	1200^{L} x 1000^{W} x 790^{H} mm	1110^{L} x 910^{W} x 610^{H} mm	610 litres	500 kg	45.5 kg	BP1210L
BP1210C	1200^{L} x 1000^{W} x 915^{H} mm	1110^{L} x 910^{W} x 610^{H} mm	610 litres	450 kg	44 kg	BP1210L
ECO1210	1200^{L} x 1000^{W} x 760^{H} mm	1108^{L} x 908^{W} x 570^{H} mm	610 litres	450 kg	35 kg	DL1210AL

www.fletchereuropean.co.uk

Fletcher 2023.indd 107 02/11/2022 14:26:13



RETENTION CAGES

» Strong zinc plated steel.

» Mesh cages are available to fit both Euro and standard pallets to create a secure enclosure.

» Each cage comes with a half hinged gate to improve access.

» Clever design allows cages to be stacked.

» Cage walls can be folded flat when not in use to save on space.

*Pallets are not included with the cages.

Code	Description	Dimensions	Material	Load Capacity
SRC1280	Euro Stackable Retention Cage	1200^{L} x 800^{W} x 1000^{H} mm	Zinc plated steel	800 kg
SRC1210	Standard Stackable Retention Cage	1200^{L} x 1000^{W} x 1000^{H} mm	Zinc plated steel	800 kg
SRC1212	Tall Standard Stackable Retention Cage	1200^{L} x 1000^{W} x 1200^{H} mm	Zinc plated steel	800 kg

COLLAPSIBLE WIRE CAGES



» Strong zinc plated steel.

» Free standing wire cages are robust in design.

» Self-contained wire cages provide a storage solution without the need of wooden or plastic pallets.

» Each cage comes with a half hinged gate to improve access.

» Cages are collapsible when not in use to save on space.

» WC1210HD is fitted with fork pockets.

Code	Description	Dimensions	Material	Load Capacity
WC1280	Collapsible Euro Wire Cage	1200^{L} x 800^{W} x 1000^{H} mm	Zinc plated steel	600 kg
WC1210	Collapsible Standard Wire Cage	1200^{L} x 1000^{W} x 1000^{H} mm	Zinc plated steel	600 kg
WC1210HD	Heavy Duty Collapsible Wire Cage with Fork Pockets	1200^{L} x 1000^{W} x 900^{H} mm	Zinc plated steel	1500 kg



COLLAPSIBLE STEEL PALLET

» Fully collapsible steel pallet.

» Designed with a half drop gate which can be removed.

» Wall mesh of 50 x 50 mm allows clear visibility of the contents.

Code	Description	Dimensions	Material	Load Capacity
CC500	Collapsible Steel Pallet	1150^{L} x 975^{W} x 1005^{H} mm	Powder Coated Steel	500 kg

Tel: 01933 440 446 sales@fletchereuropean.co.uk

Fletcher 2023.indd 108 02/11/2022 14:26:13





NESTABLE ROLL CAGES

» Ideal for distribution and handling.

» Nestable design saves space when empty.

» Strong zinc plated steel.

» Available in a range of sizes and styles.

Code	Description	Dimensions	Material	Load Capacity
NRC3	3 Sided Nestable Roll Cage	735^{H} x 850^{W} x 1690^{L} mm	Zinc plated steel	600 kg
NRC4	4 Sided Nestable Roll Cage	735^{H} x 850^{W} x 1690^{L} mm	Zinc plated steel	600 kg
NRC/FC	4 Sided Full Security Roll Cage	735^{H} x 850^{W} x 1690^{L} mm	Zinc plated steel	600 kg
NRC/J	4 Sided Jumbo Nestable Roll Cage	1120^{H} x 765^{W} x 1770^{L} mm	Zinc plated steel	600 kg

DEMOUNTABLE ROLL CAGES

» Large capacity for collection and handling.

» Drop down door provides easy access.

» Strong zinc plated steel.

» Demountable design can be packed down to save space.





Code	Description	Dimensions	Material	Load Capacity
DRCS3	3 Sided Demountable Roll Cage	800^{H} x 715^{W} x 1520^{L} mm	Zinc plated steel	600 kg
DRCS4	4 Sided Demountable Roll Cage	800^{H} x 715^{W} x 1520^{L} mm	Zinc plated steel	600 kg
DRCM3	3 Sided Demountable Roll Cage	800^{H} x 715^{W} x 1815^{L} mm	Zinc plated steel	600 kg
DRCM4	4 Sided Demountable Roll Cage	800^{H} x 715^{W} x 1815^{L} mm	Zinc plated steel	600 kg
DRC/3J1	3 Sided Jumbo Demountable Roll Cage	1200^{H} x 800^{W} x 1820^{L} mm	Zinc plated steel	600 kg
DRC/4J1	4 Sided Jumbo Demountable Roll Cage	1200^{H} x 800^{W} x 1820^{L} mm	Zinc plated steel	600 kg

Fletcher 2023.indd 109 02/11/2022 14:26:14

PLATFORM TROLLEYS

» Our range of popular manual handling trolleys are great in any workplace for transporting heavy loads.

» Designed with a plastic platform and steel handle.

» Plastic platform trolleys easily fold down when not in use to make them easy to store.

» Colour coded platforms help with product management and segregation.



Code	Description	External Dimensions	Load Capacity	Finish
PT03	Folding Plastic Platform Trolly	710^{H} x 460^{W} x 825^{L} mm	120 kg	Plastic
PT02	Folding Plastic Platform Trolly	800^{H} x 500^{W} x 835^{L} mm	200 kg	Plastic



SHELF TROLLEYS





Code	Description	Dimensions	Load Capacity	Shelf Clearance
SSTY2	Stainless 2 shelf trolley	1100^{H} x 700^{W} x 950^{L} mm	160 kg	585 mm
SSTY3	Stainless 3 shelf trolley	1100^{H} x 700^{W} x 950^{L} mm	200 kg	275 mm

Tel: 01933 440 446 sales@fletchereuropean.co.uk

Fletcher 2023.indd 110 02/11/2022 14:26:14

WEIGH SCALE PALLET TRUCK

» Integrated weigh scales allow you to accurately measure a pallet's weight.

» Water and dust proofing allows the pallet truck to be used outside or in lorries and it can be cleaned with water.

Code	Fork Length	Width Over Forks	Load Capacity
WPT01	1150 mm	545 mm	2000 kg





» HPT01 Pallet truck available in 4 sizes.

Code	Fork Length	Width Over Forks	Load Capacity
HPT01A	1000 mm	540 mm	2000 kg
HPT01B	1000 mm	680 mm	2000 kg
HPT01C	1150 mm	540 mm	2000 kg
HPT01D	1150 mm	680 mm	2000 kg



Code	Description	External Dimensions	Load Capacity
SSPT1	Stainless steel pallet truck	470^{H} x 495^{W} x 1100^{L} mm	2000 kg


STEEL SACK TRUCKS

» Hard wearing finish.

» Wheel guards.

» Knuckle guard hand grips.

» Cost effective for general warehousing requirements.





Code	Description	Dimensions	Toe plate	Load Capacity	Weight	Wheels
EST01	Economy sack truck	445^{L} x 480^{W} x 1135^{H} mm	200^{L} x 350^{W} mm	150 kg	11.5 kg	200^{D} mm plastic tyre
APST01	All purpose sack truck	435^{L} x 545^{W} x 1120^{H} mm	185^{L} x 350^{W} mm	250 kg	11 kg	250^{D} mm air filled rubber tyre









- Epoxy powder coated coloured deck.
- Bright zinc plated mesh sides.
- Rubber tyre wheels with zinc plated centres and roller bearings.
- 700 kg weight loading.
- Optional brake castors & bumper strips.
- Removable side panels.

Code	Description	Dimensions (mm)	Clear Load Area (mm)
EP601M	Single End	1000^{L} x 600^{W} x 985^{H}	930^{L} x 600^{W}
EP602M	Double End	1000^{L} x 600^{W} x 985^{H}	860^{L} x 600^{W}
EP603M	3 Sided	1000^{L} x 600^{W} x 985^{H}	860^{L} x 555^{W}
EP604M	4 Sided	1000^{L} x 600^{W} x 985^{H}	860^{L} x 510^{W}
EP701M	Single End	1000^{L} x 700^{W} x 985^{H}	930^{L} x 700^{W}
EP702M	Double End	1000^{L} x 700^{W} x 985^{H}	860^{L} x 700^{W}
EP703M	3 Sided	1000^{L} x 700^{W} x 985^{H}	860^{L} x 655^{W}
EP704M	4 Sided	1000^{L} x 700^{W} x 985^{H}	860^{L} x 610^{W}
EP801M	Single End	1200^{L} x 800^{W} x 1130^{H}	930^{L} x 800^{W}
EP802M	Double End	1200^{L} x 800^{W} x 1060^{H}	860^{L} x 800^{W}
EP803M	3 Sided	1200^{L} x 800^{W} x 1060^{H}	860^{L} x 755^{W}
EP804M	4 Sided	1200^{L} x 800^{W} x 1060^{H}	860^{L} x 710^{W}

Tel: 01933 440 446
sales@fletchereuropean.co.uk

Fletcher 2023.indd 112 02/11/2022 14:26:17

PLATFORM TRUCKS

Code	Description	Dimensions (mm)	Clear Load Area (mm)
SP600	Mobile Base Only	1000^{L} x 600^{W} x 295^{H}	1000^{L} x 600^{W}
SP601M	Single End	1000^{L} x 600^{W} x 985^{H}	930^{L} x 600^{W}
SP602M	Double End	1000^{L} x 600^{W} x 985^{H}	860^{L} x 600^{W}
SP603M	3 Sided	1000^{L} x 600^{W} x 985^{H}	860^{L} x 555^{W}
SP604M	4 Sided	1000^{L} x 600^{W} x 985^{H}	860^{L} x 510^{W}
SP700	Mobile Base Only	1000^{L} x 700^{W} x 295^{H}	1000^{L} x 700^{W}
SP701M	Single End	1000^{L} x 700^{W} x 985^{H}	930^{L} x 700^{W}
SP702M	Double End	1000^{L} x 700^{W} x 985^{H}	860^{L} x 700^{W}
SP703M	3 Sided	1000^{L} x 700^{W} x 985^{H}	860^{L} x 655^{W}
SP704M	4 Sided	1000^{L} x 700^{W} x 985^{H}	860^{L} x 610^{W}
SP800	Mobile Base Only	1200^{L} x 800^{W} x 295^{H}	1000^{L} x 800^{W}
SP801M	Single End	1200^{L} x 800^{W} x 1130^{H}	930^{L} x 800^{W}
SP802M	Double End	1200^{L} x 800^{W} x 1060^{H}	860^{L} x 800^{W}
SP803M	3 Sided	1200^{L} x 800^{W} x 1060^{H}	860^{L} x 755^{W}
SP804M	4 Sided	1200^{L} x 800^{W} x 1060^{H}	860^{L} x 710^{W}

- » High specification platform trucks for the food and drink industry.
- » 200 mm rubber tyre wheels fitted.
- » Available with 1, 2, 3 or 4 sides or base only.
- » Manufactured from 304 grade stainless steel.
- » Economical zinc plated versions are also available.
- » 500 kg weight loading
- » Mesh panel height of 480 mm.
- » Deck height of 295 mm.









Fletcher 2023.indd 113 02/11/2022 14:26:18

PLATFORM LIFT TABLES

» The powder coated finish makes for a great cost effective option.

» Great stability and manoeuvrability when it comes to heavy duty use.

» Easy to use foot pump for lifting platform.

» Hand lever to release and lower platform.

» Safe to use at any extension height.

» Swivel castors are fitted with brakes as standard.

» SLT150 has a folding handle.





Code	Platform Dimensions	Closed / Raised Height	Handle Height	Weight	Max. Load
SLT150	700^{L} x 450^{W} mm	225 / 740 mm	935 mm	43 kg	150 kg
SLT500	1600^{L} x 800^{W} mm	310 / 910 mm	970 mm	134 kg	500 kg
SLT1500	1220^{L} x 610^{W} mm	420 / 1010 mm	970 mm	142 kg	1500 kg

*Other sizes are available on request.

STAINLESS STEEL PLATFORM LIFT TABLES

» Suitable for a variety of lifting and loading operations.

» Robust structure yet lightweight.

» Fitted with two braked castors for increased safety.

» Perfect for pharmaceutical, food and beverage industries.





Code	Platform Dimensions	Closed / Raised Height	Handle Height	Weight	Max. Load
SSL100	700^{L} x 450^{W} mm	265 / 790 mm	1000 mm	41 kg	100 kg
SSL200	830^{L} x 500^{W} mm	310 / 925 mm	1075 mm	78 kg	200 kg
SSL500	1010^{L} x 520^{W} mm	430 / 1010 mm	1090 mm	118 kg	500 kg

IBC AND DRUM SPILL CONTAINMENT


» Liquid storage and bunding products in durable polyethylene material.

» Ideal for bunding liquids from 27.5 litres up to 1100 litres.

» Cover audit requirements to keep storage receptacles out of direct contact with the floor.

» Ideal for un-drained areas.

» One piece bund designs for totally watertight application.













Code	Description	Dimensions	Weight	Capacity	Drum Size
BP1	Bund pallet	800^{L} x 600^{W} x 450^{H} mm	22 kg	225 litres	1 x 250 litres
BP2	Bund pallet	1220^{L} x 820^{W} x 330^{H} mm	34 kg	240 litres	2 x 205 litres
BP3	Bund pallet	1785^{L} x 780^{W} x 240^{H} mm	35 kg	228 litres	3 x 205 litres
BP4	Bund pallet	1310^{L} x 1310^{W} x 370^{H} mm	44 kg	410 litres	4 x 205 litres
BP4L	Bund pallet	1280^{L} x 1280^{W} x 275^{H} mm	25 kg	205 litres	4 x 250 litres
BF2	Bund flooring	1260^{L} x 860^{W} x 150^{H} mm	20 kg	150 litres	2 x 205 litres














Code	Description	Dimensions	Weight	Capacity	Drum Size
BF4	Bund pallet	1660^{L} x 1260^{W} x 150^{H} mm	41 kg	300 litres	4 x 205 litres
BB1	IBC bund	1760^{L} x 1350^{W} x 710^{H} mm	107 kg	1100 litres	1 x 1000 litres
BB1T	Overflow tray for use with BB1	550^{L} x 545^{W} x 855^{H} mm	8.5 kg	86 litres	1 x 1000 litres
BB1D	Big bund	1890^{L} x 1385^{W} x 580^{H} mm	70 kg	1100 litres	1 x 1000 litres
BB2	Double IBC bund	2560^{L} x 1350^{W} x 510^{H} mm	136 kg	1140 litres	2 x 1000 litres or 8 x 205 litres
BP2HC	Hard covered bund	1490^{L} x 990^{W} x 1690^{H} mm	85 kg	230 litres	2 x 205 litre drums
BP4HC	Hard covered bund	1470^{L} x 1420^{W} x 2070^{H} mm	121 kg	410 litres	4 x 205 litre drums

Tel: 01933 440 446
sales@fletchereuropean.co.uk

Fletcher 2023.indd 116 02/11/2022 14:26:25



» Racking not included









Code	Description	Dimensions	Weight	Capacity	Drum Size
RB1	Racking bund accepts 1200 x 1000 mm UK pallet of product	1310^{L} x 1310^{W} x 245^{H} mm	25 kg	220 litres	N/A
rotoXT02	Bund for a 20 litre steel drum	425^{D} x 300^{H} mm		31 litres	1 x 20 litres
BB50	Spill tray	715^{L} x 460^{W} x 110^{H} mm	5.5 kg	27.5 litres	2 x 25 litres
BB25	Spill tray	550^{L} x 550^{W} x 110^{H} mm	5 kg	27.5 litres	1 x 25 litres
BB100	Spill tray	920^{L} x 720^{W} x 175^{H} mm	15 kg	100 litres	4 x 25 litres
BTTR1	Bund trolley	900^{L} x 700^{W} x 980^{H} mm	18 kg	100 litres	4 x 25 litres
BT230	Bund trolley	1600^{L} x 740^{W} x 640^{H} mm	44 kg	230 litres	1 x 205 litres

www.fletchereuropean.co.uk

Fletcher 2023.indd 117 02/11/2022 14:26:27



WTBUND100



WTBUND500



Bunds



Screw on cap



Tank markings

Tel: 01933 440 446

sales@fletchereuropean.co.uk

Fletcher 2023.indd 118 02/11/2022 14:26:31

LIQUID STORAGE TANKS

Code	Dimensions	Capacity	Bund Option
WT25	340^{L} x 250^{W} x 355^{H} mm	25 litres	rotoXB1915
WT50	425^{D} x 500^{H} mm	50 litres	WTBUND50
WT100	500^{D} x 680^{H} mm	100 litres	WTBUND100
WT200	655^{D} x 795^{H} mm	200 litres	WTBUND200
WT300	655^{D} x 1030^{H} mm	300 litres	WTBUND300
WT500	800^{D} x 1160^{H} mm	500 litres	WTBUND500
WT1000	1060^{D} x 1385^{H} mm	1000 litres	WTBUND1000



- Rotationally moulded from hard wearing and robust plastic.
- Compatible with a number of different liquids and chemicals, these tanks are commonly used for chemical dosing.
- Ideal for water treatment and management industries.
- Designed with integrated volumetric gauge to measure contents.
- Comes with tight fitting plastic screw cap.
- Each tank bund offers 110% volume of the corresponding dosing tank to prevent spillages or leaks.

WHEELIE BINS

- » Optional fork lift pocket and side trunnions can be fitted.
- » Supplied with heavy duty wheels and axles for longevity.
- » Flat and roll top options for CR1100GB.
- » Recycling lid options on request.
- » Full printing service available.









Code	External Dimensions	Capacity
CR80GB	445^{L} x 525^{W} x 930^{H} mm	80 litres
CR120GB	555^{L} x 480^{W} x 930^{H} mm	120 litres
CR240GB	740^{L} x 580^{W} x 1070^{H} mm	240 litres
CR360GB	856^{L} x 620^{W} x 1095^{H} mm	360 litres

Tel: 01933 440 446

sales@fletchereuropean.co.uk

Fletcher 2023.indd 120 02/11/2022 14:26:36





Code	External Dimensions	Capacity
CR660GB	770^{L} x 1360^{W} x 1170^{H} mm	660 litres
CR1100GB	1080^{L} x 1360^{W} x 1470^{H} mm	1100 litres



GALVANISED WHEELIE BIN

» Available as standard in galvanised steel finish.

» Powder coated colour variants are available to suit your needs.

» Galvanised steel structure makes this bin tough and durable for industrial applications.

» Internally welded seams prevent water penetration.

Code	External Dimensions	Capacity
GALV1100	870^{L} x 1250^{W} x 1355^{H} mm	1100 litres

Fletcher 2023.indd 121 02/11/2022 14:26:39

GRIT BINS

- Heavy duty, durable plastic with a rigid structure to withstand heavy contents.
- Produced from UV stabilised polyethylene.
- Available in various colours.
- Strong through-rod hinge system to combat vandalism.
- Lockable
- Fork liftable from base.



Code	Description	Dimensions	Capacity
GB200	200 litre Supertuff Grit bin	1080^{L} x 670^{W} x 695^{D} mm	200 litres
GB350	350 litre Supertuff Grit bin	1175^{L} x 790^{W} x 795^{D} mm	350 litres




GB200



GB350







GB51



GB52



GB53



Snow Scoops

Tel: 01933 440 446

sales@fletchereuropean.co.uk

Fletcher 2023.indd 122 02/11/2022 14:26:46

LARGE CAPACITY ROUND BIN

This hard wearing large 118 litre LBIN02 round bin is made from durable polyethylene plastic.

- **Measuring 510^{D} x 960^{H} mm.**
- **Tough plastic construction with seamless watertight base.**
- **Lid and base available in a choice of colours.**
- **Supplied with rigid plastic liner.**
- **Suitable for internal or external use.**
- **The black colour option is made from recycled plastic.**



SUPERTUFF SQUARE BIN

This 45 litre LBIN01 square bin is made from robust polyethylene plastic.


- **Measuring 375^{W} x 375^{D} x 870^{H} mm.**
- **Strong and durable plastic construction.**
- **Square design allows bins to be pushed up against walls and into corners.**
- **Supplied with rigid plastic liner.**
- **Suitable for indoor or outdoor use.**
- **The black colour option is made from recycled plastic.**



Fletcher 2023.indd 123 02/11/2022 14:26:46

LITTER BINS

- » Certified to BS En ISO 14001 quality standard.
- » Complete range of litter bins for all environments.
- » Fully colour codable.
- » Moulded from tough, durable polyethylene material.
- » Ballast options also available.





Regent 30/50L

- » Optional hood available.
- » Wall kit included (post banding extra).
- » Liner is locked in.

Code	Dimensions	Capacity	Liner
Regent 30L	395^{W} x 235^{D} x 525^{H} mm	30 litres	Galvanized steel
Regent 50L	430^{W} x 290^{D} x 645^{H} mm	50 litres	Galvanized steel



Octaplus 84L



Heritage 100L



Viscount



Envirobin 100L



Octaplus 120L



Metro 100L



Consort 100L



Pioneer

Code	Size	Capacity	Liner	Lock	Stability	Smoking
Consort 100L	560^{D} x 1075^{H} mm	100 litres	Galvanized steel or recycled plastics	Key activated plunge lock	Integral ballast filling or ground fixing	Optional stubber plate or ashtray
Metro 100L	547^{D} x 1082^{H} mm	100 litres				
Heritage 100L	570^{D} x 1072^{H} mm	100 litres				
Octaplus 84L	460^{D} x 965^{H} mm	84 litres	Galvanized steel			
Viscount	522^{D} x 836^{H} mm	110/130 litres	Galvanized steel			
Octaplus 120L	680^{D} x 1169.5^{H} mm	130 litres	Galvanized steel			
Envirobin 100L	448^{W} x 448^{D} x 900^{H} mm	100 litres	Standard polythene sack	No	Free Standing	n/a
Pioneer	430^{W} x 290^{D} x 645^{H} mm	130 litres	Galvanized steel	4 point locking system	Integral ballast filling or ground fixing	Stubber plate or optional ashtray

Tel: 01933 440 446
sales@fletchereuropean.co.uk

Fletcher 2023.indd 124 02/11/2022 14:26:47

SLIM JIM BINS

» In capacities of 60 or 87 litres, both bins fit securely on the SLIMDOL.

» Venting channels make removing bin liners 80% easier

» Both bins come in grey with a choice of coloured lids.

» Base and rim handles improve grip and control when lifting.

» Lids are interchangeable between both bin sizes.



Code	Dimensions	Capacity	Dolly Code
SLIM60	558^{L} x 279^{W} x 635^{H} mm	60 litres	SLIMDOL
SLIM87	558^{L} x 279^{W} x 762^{D} mm	87 litres	SLIMDOL

» Other coloured lids available


SLIMLIDPT


SLIMLIDMR


SLIMLIDBT


SLIMLIDHL



SLIMLIDHT


SLIMLIDSL

Fletcher 2023.indd 125 02/11/2022 14:26:53

MINI ENVIROBIN - 55 LITRES

Slim-line range to suit the smaller office or classroom where space is a premium measuring only 302^{L} x 523^{W} x 660^{H} mm.



- A Confidential paper (locking)
- B General waste
- C Paper
- D Aluminium cans
- E Plastic bottles

MAXI ENVIROBIN - 140 LITRES

High capacity internal and external unit with front door opening for easy bagged load extraction. Available with locks. Measuring 500^{L} x 615^{W} x 1220^{H} mm



- M Confidential paper (locking)
- N Paper
- O Aluminium cans
- P Plastic bottles
- Q General waste

RB55



RB140




STANDARD ENVIROBIN - 100 LITRES

The range uses a common grey/ white base unit & offers a choice of colour coded lid designs. Includes a flip-top option for general waste & locking for confidential paper. Measuring 448^{L} x 448^{W} x 807^{H} mm



RB100

- G Paper
- H Aluminium cans
- I Plastic bottles
- J Spilt envirobin 2 x 50 litres (specify waste streams)



BOTTLE SKIPS

» We manufacture a range of plastic bottle skips ideal for the catering trade, hospitality and a host of handling applications within many other industries.

» Commonly found within pubs, restaurants, bars, clubs and at events, they are often used for the collection and storage of used or empty glass bottles.

» Rotationally moulded out of polyethylene, our bottle skips are incredibly tough and durable which makes them ideal for busy and demanding environments.

» Easy to handle and manoeuvre making them adaptable to any bar, big or small, where space is at a premium.

FEATURES

» Watertight and durable.

» Inter-stacking design with easy-release feature.

» 5 industry standard sizes.

» Lightweight design allows them to be easily emptied by hand.

» Moulded-in fixings securely hold the wheels.

» Mounted on four 50 mm swivel casters.

» The seamless construction is easy to clean.

» Great value item.

» Special colours made to order.



Code	Dimensions	Capacity
MO1B	660^{L} x 470^{W} x 690^{D} mm	125 Litres
MO2B	660^{L} x 455^{W} x 795^{D} mm	130 Litres
MO3B	815^{L} x 455^{W} x 670^{D} mm	160 Litres
MO4B	660^{L} x 620^{W} x 695^{D} mm	185 Litres
MO5B	970^{L} x 360^{W} x 670^{D} mm	160 Litres

SAFETY STEPS

» Kick Steps manufactured from quality steel for maximum safety and durability.

» Universal kick step, ideal for use the in workplace.

» Snap-lock quick assembly.

» Mounted on 3 retractable polypropylene castors.

» Will not slide, roll or tip over.



Code	Dimensions	Load Capacity	Weight
KA003Z	490^{H} x 450^{W} x 1000^{L} mm	125 kg	4.5 kg

STAINLESS STEEL STEPS



» Stainless steel safety steps offer great accessibility.

» Supported on four swivel castors providing excellent manoeuvrability.

» Stainless steel design is ideal for high care and production sensitive environments.

» Ideal for food, pharmaceutical and other industrial applications.

Code	Dimensions	Platform Height (at top tread)	Weight	Steps	Material
S215	710^{L} x 790^{W} x 1425^{H} mm	765 mm	14 kg	3	Stainless steel
S216	885^{L} x 790^{W} x 1683^{H} mm	1016 mm	17 kg	4	Stainless steel
S217	1140^{L} x 790^{W} x 1940^{H} mm	1270 mm	20 kg	5	Stainless steel

Tel: 01933 440 446 sales@fletchereuropean.co.uk

Fletcher 2023.indd 128 02/11/2022 14:26:57

THE SUPERTUFF SAFETY STEP

Combines durability with style, to offer a robust and hard wearing unit that would look good in any workplace. Built to last, this unit offers a safe platform ideal for use in almost any environment such shops, storerooms, factories, warehouses, library's and supermarkets.





- Anti-slip tape, provides grip on the top surface and each of the in-steps.
- The large square base ensures a very stable platform.
- In-steps allow four way access.
- Incredibly strong and durable.
- One piece moulding, no loose or breakable parts.
- Stylish design available in a wide choice of colours.
- Large recessed label area can be used to brand the step with company logo or messages.
- Units inter stack to save space in storage or during transportation.
- Plastic construction will not corrode and requires no maintenance.



Code	Dimensions	Platform
STSS01	460^{L} x 460^{W} x 365^{H} mm	370^{L} x 370^{W} mm

Fletcher 2023.indd 129 02/11/2022 14:26:58

RECYCLED PLASTIC MOBILE TRUCKS

» Our plastic container trucks are a key product manufactured from recycled plastic.

» Made as standard in black, however they are also available in recycled red, green and blue plastic. Each is available with a matching coloured lid if required.

» Available at a cost effective price!

» The three largest models are fitted with an underside baseboard to support extra heavy loads.

» If required, strong plastic STH01 handles can be fitted to our four largest mobiles.



Code	External Dimensions	Top Internal Dimensions	Base Internal Dimensions	Load	Capacity	Lid Code	Castor Setup
rotoXM16REC	460^{L} x 460^{W} x 480^{H} mm	412^{L} x 412^{W} x 412^{H} mm	380^{L} x 380^{W} x 412^{H} mm	40 kg	72 litres	rotoXL26	4 x 50 mm swivel
rotoXM26REC	460^{L} x 460^{W} x 730^{H} mm	412^{L} x 412^{W} x 662^{H} mm	370^{L} x 370^{W} x 662^{H} mm	60 kg	118 litres	rotoXL26	4 x 50 mm swivel
rotoXM30REC	620^{L} x 530^{W} x 705^{H} mm	552^{L} x 467^{W} x 582^{H} mm	520^{L} x 425^{W} x 582^{H} mm	120 kg	135 litres	rotoXL30	4 x 100 mm swivel
rotoXM45REC	825^{L} x 480^{W} x 785^{H} mm	740^{L} x 410^{W} x 647^{H} mm	700^{L} x 360^{W} x 647^{H} mm	150 kg	200 litres	rotoXL45	2 swivel, 2 fixed 100 mm
rotoXM50REC	830^{L} x 640^{W} x 740^{H} mm	755^{L} x 555^{W} x 600^{H} mm	730^{L} x 530^{W} x 600^{H} mm	180 kg	227 litres	rotoXL50	2 swivel, 2 fixed 100 mm
rotoXM70REC	1010^{L} x 685^{W} 735^{H} mm	903^{L} x 584^{W} x 595^{H} mm	840^{L} x 530^{W} x 595^{H} mm	220 kg	320 litres	rotoXL70	2 swivel, 2 fixed 100 mm
rotoXM100REC	1370^{L} x 775^{W} x 765^{H} mm	1225^{L} x 615^{W} x 630^{H} mm	1165^{L} x 570^{W} x 630^{H} mm	275 kg	455 litres	rotoXL100	2 swivel, 2 fixed 100 mm

Tel: 01933 440 446 sales@fletchereuropean.co.uk

Fletcher 2023.indd 130 02/11/2022 14:27:04



OUR ENVIRONMENTAL POLICY

» As a plastics manufacturer, plastic waste is something which is inevitably produced during the manufacturing process.

» We subsequently segregate this plastic waste into coloured groups which are then fed through our granulating system.

» The granulating system is a process by which sizeable pieces of plastic off cuts and trimmings are reduced in size to much smaller flakes.

» Once we accumulate enough of these smaller pieces we return them to our polymer supplier. The material is then reprocessed into powder form by the supplier and delivered back to our site ready for use in future products.

» This recycled powder is used to produce a range of recycled products for non-food contact.

» We strongly promote this closed loop process to help manage and control our footprint on the environment as well as doing our part to be an environmentally friendly company.

» Away from our manufacturing process, we monitor and segregate all other forms of waste and despatch it to be recycled where appropriate.

FLETCHER EUROPEAN

MIX
Paper from responsible sources
FSC® C017177

www.fletchereuropean.co.uk



MADE IN GREAT BRITAIN

Fletcher European Containers Ltd
47/51 Sanders Road, Finedon Road
Industrial Estate, Wellingborough,
Northamptonshire, NN8 4NL

www.fletchereuropean.co.uk

Tel: 01933 440 446 **sales@fletchereuropean.co.uk**

ROTOX™





FLETCHER FLETCHER FLE

EUROPEAN EUROPEAN EUR



2023 Edition

